
ABL IMPORTS





























WEL-BILT www.ablimports.com | TOOLTEC | FARMTEC | WOODTEC | WORK HORSE

2026 CATALOGUE

INDEX

Air Tools & Pneumatics
Air Body Saw ... Page 6
Air Die Grinder Kits ... Page 6
Air Drill ... Page 5
Air Equipment ... Page 5, 6
Air Hammer Kit ... Page 5
Air Hydraulic Riveter Kit ... Page 5
Air Impact Wrenches ... Page 5
Air Nibbler ... Page 6
Air Sander Kits ... Page 6
Air Tyre Buffer ... Page 5
Breaker Bars ... Page 6
Belt Linisher ... Page 6
Punch & Flange Tool ... Page 5
Random Orbital Sanders ... Page 5
Sanding Pads & Kits ... Page 6
Straight Line Sander ... Page 5

Aircon / HVAC Service
Aircon Charging Scale ... Page 8
Aircon Equipment ... Page 8
Aircon Manifold Kit ... Page 8
Aircon O Ring Kit 420pc ... Page 8
Digital Thermometer ... Page 8
UV LED Torch ... Page 8

Cooling, Fans & Wrap-Up Items
Fans & Coolers ... Page 35

Diagnostics, Testers & Cooling System Service
Compression Testers ... Page 13, 14
Coolant Vacuum & Refill Pump Kit ... Page 36
Diesel Engine Compression Tester ... Page 13
Diagnostic Equipment ... Page 13, 14
Fuel Injector Test Kit ... Page 14
Infrared Thermometers ... Page 13
Injector Pump Tester ... Page 14
Leak Detector & Compression Tester ... Page 14
Oil Pressure Testers ... Page 14
Portable Coolant Tank ... Page 33
Radiator Pressure Test Kit ... Page 13
Vacuum & Pressure Pump ... Page 13

Farm, Rural & Property
Bale Spear ... Page 19
Cement Mixer ... Page 18
Earth Auger ... Page 18
Fencing Equipment ... Page 17
Fencing Pliers ... Page 17
Fencing Wire Tensioner ... Page 17
Grader Blade ... Page 19
Heavy Wood Chippers ... Page 20
Mower Attachments ... Page 20
Post Drivers ... Page 18
Post Hole Auger ... Page 18
Post Hole Digger ... Page 18
Post Hole Digger (Hydraulic ... Page 18
Post Hole Diggers & Post Driver ... Page 18
Rotary Hoes ... Page 20
Skid Steer Levelling Bar ... Page 19
Slasher Trailing Wheel ... Page 20
Slashers ... Page 20
Single Tine Ripper ... Page 19
Tractor Attachments ... Page 19, 20
Tractor Handling Equipment ... Page 20
Tractor Quick Hitch ... Page 19
Tractor Rake & Wheel Set ... Page 19
Wheel Attachments ... Page 19

Food Prep & Catering
11 Piece Butchers Knife Set ... Page 7
240v Meat Mincers ... Page 8
Catering Trolley ... Page 7
Food Equipment ... Page 7, 8
Food Slicers ... Page 8
Hand Operated Meat Mincers ... Page 8
Sausage Machine ... Page 7
Stainless Steel Food Benches ... Page 7
Table Top Meat Bandsaws ... Page 7

Fuel, Oil & Fluid Transfer
12v Diesel Pump Replacement ... Page 11
Barrel Pump ... Page 11
Diesel Fuel Pump Kit ... Page 12
Diesel/Oil Extractor Pump ... Page 12
Flow Meters ... Page 11
Fuel Equipment ... Page 11, 12
Fuel Nozzles ... Page 12
Fuel Transfer Pump ... Page 11
Oil Drainer ... Page 11, 33
Oil Transfer Pump ... Page 12
Refuelling Kit ... Page 12
Rotary Pumps ... Page 11
Submersible Pump ... Page 11
Submersible Pump Kit ... Page 11
Suction Transfer Gun ... Page 14
Vacuum/Fuel Pump Tester ... Page 14

Greasing & Lubrication
Air Grease Pump Kit ... Page 21
Grease Gun Coupler Lock & Lube ... Page 21
Grease Gun Extension Hose ... Page 21
Grease Gun Hand Piece ... Page 21
Grease Guns ... Page 21
Grease Lube Accessory Kit ... Page 21
Grease Nipple Kits ... Page 21
Greasing Equipment ... Page 21
Oil Control Gun ... Page 21

Metalworking, Bending & Fabrication
Air Pipe Benders ... Page 34
Anvils ... Page 34
Bar Bender ... Page 23
Compact Bender ... Page 23
Cutter Slugger Set ... Page 32
Manual Tube Bender ... Page 34
Metal Scroll Twister Tool ... Page 23
Metal Working ... Page 23
Parts Washers ... Page 23
Round & Square Tube Bender ... Page 23
Scroll Bar Bender ... Page 23
Steel Cutters ... Page 32
Tap & Die Sets ... Page 32
Universal Bending Machine ... Page 23
Ventilation Fans ... Page 32
Ventilation Hoses ... Page 32
Vices ... Page 29

Power Tools & Workshop Electrics
Drill Press ... Page 27
Electric Hoist ... Page 27
Industrial Heat Gun ... Page 4
Jig-Saw ... Page 4
Leaf Blower ... Page 4
Power Tools ... Page 4
Reciprocating Saw ... Page 4
Router ... Page 4

Safety & Security
Floor Safes ... Page 26
Gun Safes ... Page 26
Set of 4 Animal Traps ... Page 34

Sandblasting & Surface Prep
4 Pack Ceramic Nozzles ... Page 25
Abrasive Sandblasting Gun ... Page 25
Air Soda Blasters ... Page 25
Deadmans Abrasive Blaster & Tips ... Page 25
Handheld Blasting Guns ... Page 24
No-Trigger Blasting Gun & Tips ... Page 25
Sandblasting Cabinets ... Page 24
Sandblasting Equipment ... Page 24, 25
Sandblasting Tanks ... Page 25

Sharpening
10" Wet Sharpener ... Page 7
Chainsaw Sharpener ... Page 31
Electric Sharpener ... Page 34

Storage, Site & Ute Boxes
75 Drawer Parts Cabinet ... Page 4
Double Door Ute Box ... Page 4
Poly Storage Boxes ... Page 4
Site Boxes ... Page 4
Steel Underbody Truck Boxes ... Page 4
Steel Underbody Ute Boxes ... Page 4
Toolboxes & Storage ... Page 4

Trailer Parts & Towing
Tow Rope Kits ... Page 31
Trailer Brakes ... Page 39
Trailer Couplings ... Page 39
Trailer Equipment ... Page 39
Trailer Hand Brake Plate ... Page 39
Trailer Hub & Stub Assembly ... Page 39
Trailer Jacks ... Page 9
Trailer Mounted Toolbox ... Page 39

Tyre Service & Wheel Equipment
Bead Seater Tanks ... Page 10
Bubble Wheel Balancer ... Page 10
Truck Tyre Changing Tools ... Page 9
Truck Wheel Dollies ... Page 9
Tyre Bead Breakers ... Page 10
Tyre Changers ... Page 10
Tyre Equipment ... Page 9, 10
Tyre Inflator ... Page 9
Tyre Regroover ... Page 10
Tyre Repair Kits ... Page 9
Tyre Wheel Nutcracker ... Page 10
Workshop Tyre Dolly ... Page 10

Warehouse, Handling, Lifting & Packing
Bucket Forks ... Page 30
Canopy Jack Liftoff Legs Set ... Page 34
Drum Handling Gear ... Page 12
Drum Lifter Chain ... Page 30
Fork Accessories ... Page 30
Forklift Extension Slippers ... Page 30
Forklift Safety Cage ... Page 36
Hand Tilt Cart ... Page 34
Pallet Handling Gear ... Page 36
Pallet Wraps ... Page 35
Spring Balancer ... Page 35
Strapping Tools ... Page 35
Ute Cranes ... Page 30
Workbenches ... Page 36

Woodworking & Dust Extraction
Dust Extractor ... Page 22
Dust Extractor Hose Kit ... Page 22
Wood Sanders & Grinders ... Page 22
Wood Spur Drives ... Page 22
Wood Turning Tool Sets ... Page 22
Wood Working ... Page 22

Workshop Essentials Hand Tools
3 Piece Flexible Hose Clamp Set ... Page 36
8-Piece Burr Set ... Page 33
Air Bag Removal Toolkit ... Page 37
Drill Sets ... Page 32
Hand Tools ... Page 37, 38
Jumbo Spanner Sets ... Page 26
Pipe Wrenches ... Page 31
Rethreader Kit ... Page 37
Spanner Sets ... Page 26
Tile Cutters ... Page 33

Workshop Lifting, Jacks & Stands
25 Ton Stands ... Page 28
Bottle Jacks ... Page 31
Car Rotisseries ... Page 28
Foldable Engine Stand ... Page 27
Folding Floor Cranes ... Page 27
Floor Jacks ... Page 31
Garage Creepers ... Page 30
Girder Trolley ... Page 28
Mobile Girder Rail ... Page 28
Motorbike ATV Lift Tables ... Page 33
Ram Jacks ... Page 33
Ratchet Jack Stands ... Page 28
Transmission Adapter ... Page 27
Transmission Jacks ... Page 27
Truck Ramp ... Page 27
Under Hoist Support Stand ... Page 27
Vehicle Dolly ... Page 27

Welding
Welding Carts ... Page 17
Welding Clamps ... Page 17
Welding Equipment ... Page 17
Welding Helmet ... Page 17

IMPORTANT CUSTOMER NOTICE
PRICES & ILLUSTRATIONS SUBJECT TO CHANGE

We advise all of our customers to confirm the product is as illustrated at time of purchase. Photos & illustrations are subject to change & are current at the time of print, as supplied to us by the manufacturers or suppliers.

We reserve the right to correct any typographical errors. We endeavour to maintain pricing in this catalogue for its duration, but the current economic situation may be influential in any price changes that may be passed onto us by our suppliers.

Current catalogue prices supercede all previous advertised prices & are subject to change without notice.

All manufacturers' names, part numbers, trade marks and logos are only used for the convenience and ease of identification that they afford. All information, prices and brands were correct at time of printing and are subject to change.

WARRANTY TERMS

In addition to any warranties or conditions implied by applicable Statute or Regulations, ABL Imports warrants all of it's products against defective workmanship and faulty materials for a period of six (6) months from the date of purchase, unless otherwise stated. At our option we will repair or replace, free of charge, any item on the condition that:

- The return has been authorised by ABL, and a return authority number (RA) has been issued prior to goods being despatched.
- The complete machine or tool is returned, freight prepaid to ABL or one of its authorised service agents as directed by ABL, and is found to have a material or constructional defect.
- The machine or tool has not been subject to misuse, neglect or damage by accident.
- The fault is not a result of normal "wear and tear".
- Written permission has been received from ABL prior to commencement of repair.
- Repairs, tampering or modification carried out by unauthorised personnel will void all warranty.
- Consumable items such as cutting tools, sanding tools, repair kits, and nozzles etc. are NOT covered by warranty.

Our goods come with guarantees which cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and to compensation for other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

WEL-BILT www.amanstoyshop.com

FARMTEC

WORK HORSE® www.amanstoyshop.com

WOODTEC

TOOLTEC®

WORKSHOP MACHINERY

HEAVY-DUTY, PRECISION TOOLS

FOOD PROCESSING

SAFE, FOOD-GRADE SOLUTIONS

GARAGE EQUIPMENT

RELIABLE, PROFESSIONAL GEAR

AIR TOOLS - FUEL EQUIPMENT - TOOLBOXES - TYRE EQUIPMENT - DIAGNOSTIC EQUIPMENT - GREASE GEAR - HYDRAULIC RANGE - PUMPS - RAMS - PULLERS - COMPRESSORS & ACCESSORIES - WELDING & CUTTING EQUIPMENT - WORKSHOP PRESSES - BEARING & SEAL DRIVERS - JACKS & HOISTS - ENGINE STANDS & CRANES - LIFTING & RIGGING GEAR - ABRASIVES & GRINDING - SAND BLASTING EQUIPMENT - POWER TOOLS - HAND TOOLS - SOCKET & SPANNER SETS - SPECIALTY AUTOMOTIVE TOOLS - OIL DRAINERS & DISPENSERS - COOLANT SERVICE EQUIPMENT - ELECTRICAL TESTERS & MULTIMETERS - BATTERY CHARGERS & BOOSTERS - LIGHTING & INSPECTION LAMPS - SAFETY GEAR & PPE - STORAGE CABINETS & WORKBENCHES - CLEANING EQUIPMENT & PARTS WASHERS - SPRAY GUNS & PAINTING EQUIPMENT - FASTENING TOOLS - CUTTING TOOLS - HEATING EQUIPMENT - TORQUE WRENCHES & CALIBRATION TOOLS - PIPE BENDERS & CUTTERS - VICES & CLAMPS - MARKING & MEASURING EQUIPMENT - PRESSURE TESTERS - HOSE REELS & FITTINGS - LUBRICATION SYSTEMS - VACUUM & SUCTION TOOLS

TOOLBOXES & STORAGE

SITE BOXES



2mm Powder-Coated Steel With Gas-Strut Lid & Padlock Security

STB700 1219x643x700mm

STB839 600x455x455mm 30kg

POLY STORAGE



Poly Diesel Tank With 12V 50L/min Pump, Automatic Nozzle, Lockable Lid & Hose Storage

DT-430-12V 430L

DT-200-12V 200L

UNDERBODY UTE BOXES



STB600LB 600x440x440x260mm

STB600RB 600x440x440x260mm


SUTB660LB 660x440x440x260mm

Left Or Right Hand Opening. 1.5mm Cold Rolled Steel. Powder Coated. Fully Welded. S/Steel T-Lock. Rubber Sealed & 15/17kg.

SUTB660RB 660x440x440x260mm

DOUBLE DOOR UTE STORAGE

Double-Door 2mm Aluminium Checkerplate Toolbox With 4 Gas Struts, Stainless Piano Hinges, 2 T-Locks, 800mm Door Openings & 42kg Weight.





23630 1800x700x500mm



GREY
BLUE

GBOXT100G 630x390x350mm

GBOXT101B 710x430x350mm

GBOXT101G 710x430x350mm

GBOXT102G 870x530x440mm

GBOXT103B 1020x630x530mm

GBOXT103G 1020x630x530mm

UTE TRAY STORAGE BOX

STB508 508x455x455mm 27kg

STB600 600x455x455mm 30kg

STB760 760x455x455mm 35kg

STB910 910x455x455mm 40kg



STB1220 1220x455x455mm 49kg

STB1500 1500x455x455mm 59kg

POWER TOOLS

2000W Heat Gun With LED Indicator, Adjustable Temperature Nozzles & Scraper, Suits 240V/50Hz



150-38-50230 2000W

240V Variable Speed Reciprocating Saw, 0-2800rpm, Cuts Wood To 105mm & Metal To 60mm For Versatile Cutting



150-76-50385 800W 2800 RPM

400W Variable Speed Jigsaw With 3000rpm, 0-45° Bevel Cut, Soft Grip Handle, Cuts 55mm Wood & 6mm Steel.



150-76-50575 400W 3000 RPM

240v/50hz Power, Features Attachable Nozzle, 11,000rpm Motor, 9200 Pa Airflow, 8m³/Min Volume & 1.65kg.



150-89-50366 500W 11,000 RPM

AIR EQUIPMENT

AIR IMPACT WRENCHES

1/2" Drive Air Impact Wrench With 850nm Max Torque, Pistol Grip Twin Hammer Design, 6800 Rpm Free Speed, 18mm Bolt Capacity & 3.5kg For Heavy-Duty Fastening.



WEL-BILT
12E-01B6
1/2" 850NM

1200nm Max Torque, Twin Hammer Balance, Pistol Grip, 3 Speed Forward/Reverse, 4600 Rpm Free Speed, 22mm Bolt Capacity, 3/8" Air Inlet & 6-8kg/Cm².



WEL-BILT
34B01B6
3/4" 1200NM

1/2" Air Impact Wrench, 569nm Max Torque, 7000rpm Free Speed, Lightweight 2.3kg, 200mm Alloy Body, Comfort Grip, Adjustable Forward / Reverse, 1/4" Air Inlet, Suits 2.5hp Belt Drive Compressors.



WEL-BILT
QWREA027
1/2" 569NM

AIR HYDRAULIC RIVETER KIT

2.4-4.8mm Rivets, 1045kgf Traction, 16mm Stroke, 1.48l/Min At 90psi, Includes Riveter, 4 Nose Pieces, 40 Rivets, Spare Parts, 12-Month Warranty.



TOOLTEC
GP102K
2.4mm-4.8mm

PUNCH & FLANGE TOOL

Pneumatic Punch And Flange Tool For Panel Beaters, Handles 1.2mm Mild Steel, 5mm Punch, 12mm Offset, Rotating Head, 10CFM At 80-100psi, 1/4" Inlet, 6-Month Warranty.



WEL-BILT
WS49002
1.2mm 1/4" 10 CFM

AIR TYRE BUFFER

Pneumatic Tyre Buffer With Quick Change 11mm Hex Mount, 2,500rpm,5cfm At 90psi, Compact Ergonomic Body, Safety Lever, Rear Speed Control And Exhaust, Suits Standard Tyre Buffing Wheels.



WEL-BILT
AT7070BN
5 CFM 2500 RPM

RANDOM ORBITAL SANDER

6" Air Palm Sander With Metal Inner Housing, Compact One-Hand Design, 3/16" Orbit, 10,000rpm, 4.5cfm, 152mm Pad, Rear Exhaust, Central/Non-Vacuum.



WEL-BILT
AT-991N
3/16" 10,000 RPM

STRAIGHT LINE SANDER

Straight Line Air Sander, 64 X 407mm Pad, Dual-Cylinder 25mm Stroke, 2,500 Spm For Fast Body Filler Finishing. Low Noise, Side Exhaust. Requires Lubrication With Air Tool Oil Before Use.



WEL-BILT
AT-186
64x407mm 25mm

RANDOM ORBITAL SANDER

3/32" Orbit, 9,000rpm Free Speed, Low-Vibration Ergonomic Body, Speed Control, 150mm 6 Hole Velcro Pad, Rear Exhaust With Dust Bag.



WEL-BILT
AT-9806V
3/32" 9000 RPM

PUNCH & FLANGE TOOL

Air Hammer With Quick Change Chuck, Hardened Steel Barrel, 3000bpm, 66mm Stroke, 5.5cfm, 245mm Length,Includes Five 0.401" Shank Chisels & Front Exhaust.



WEL-BILT
AT-2060LSG
5.5 CFM 3000 BPM

AIR KERO DEGREASING GUN

Air Kero Degreasing Gun With 1L Alloy Bowl, Adjustable Nozzle & 1/4" Male Thread. Compact 400mm Length For Easy, One-Handed Trigger Operation.



WEL-BILT
24206
1/4" 400mm 1L

AIR ANGLE HEAD DRILL


Ergonomic With Safety Trigger, 4-Speed Regulator And 360° Rear Exhaust; Right-Angle For Confined Areas; 15,000rpm, 4cfm, 180mm.



WEL-BILT
NST-4044BM
360° 15,000 RPM

AIR EQUIPMENT

AIR DIE GRINDER KITS



Lever Lock Safety, Built In Regulator, 22,000rpm At 90psi, 1/4" And 3mm Collets, Grinding Stones, Nipple, Wrenches & Carry Case.

WEL-BILT — **14141** 22,000 RPM 1/4"



3mm & 6mm Collets, 20,000 rpm, Aluminium Housing, Safety Throttle Regulator. Includes Grinding Stones & Wrenches.

WEL-BILT — **AT-7035BK** 3/6mm 20,000 RPM



50mm Air Angle Sander With Velcro Backing Pad, Safety Lever & 15,000rpm, 4 Cfm,

WEL-BILT — **14141-1** 50mm 15,000 RPM



22,000rpm Free Speed, 4.5cfm At 90psi, 1/4" Inlet, 3/8" Hose.

WEL-BILT — **14141-3** 75mm 22,000 RPM



25,000rpm, 3.2scfm At 90psi, 75mm Collet, Safety Lever, Rear Exhaust, Stones, Wrenches & Case.

WEL-BILT — **14141-2** 75mm 25,000 RPM

AIR NIBBLER



Cuts Up To 16ga Steel With Clean Edges, 2500spm At 90psi. Adjustable Rotating Die, Rear Exhaust & Requires Air Tool Oil.

WEL-BILT — **AT-7038B** 2500 SPI 90 PSI

AIR SANDER KIT



50mm Air Angle Sander With Velcro Backing Pad, Safety Lever & Composite Housing; 15,000rpm, 4 Cfm, Rear Exhaust; Ideal For Light Sanding, Rust Removal & Weld Smoothing.

WEL-BILT — **AT7037BN** 4 CFM 15,000 RPM

SURFACE PREPERATION KIT



7-Piece 50mm Surface Kit With Roloc/ Lockit Mounts 1/4" Unc Threaded Backing Pad.

SP-51 50mm — WEL-BILT — **SP-50** 75mm

VELCRO BACKING PAD



50mm Sanding Pad With Velcro Backing & Male 5/16" X 24tpi (M6 X 1) Thread & 20,000rpm.

WEL-BILT — **SP-09** 50mm 20,000 RPM

RUST REMOVAL KIT



4 Pcs 50mm Rust Removal Kit, Roloc Mount, Max 15,000rpm.

WEL-BILT — **SP-52** 50mm 15,000 RPM

AIR BODY SAW



Compact Rubber-Grip Design, 10,000spm Performance, Cuts 18ga/1.2mm Steel. Adjustable Guard, Safety Trigger, Front Exhaust; Includes Three Blades; Requires Lubrication.

WEL-BILT — **AT-7039** 10,000 SPM 1.2mm

BELT LINISHERS



10mm Air Belt Sander With 10 X 330mm Belt, 15,000rpm And Rear Exhaust; Compact 280mm Design For Tight Areas, Fine Sanding And Polishing; Includes Three Grit Belts.

WEL-BILT — **AT-480** 10mm 15,000 RPM



20mm Air Belt Sander At-485 For Fine Sanding And Polishing In Tight Areas. Uses 20x520mm Belts, 16,000 Rpm, 7 Cfm. Includes 60/80/120 Grit Belts.

WEL-BILT — **AT-485** 20mm 16,000 RPM

BREAKER BARS

TOOLTEC



Chrome Bar With Swivel Breaker 180° Head.


BB38 3/8" 380mm — **BB12** 1/2" 720mm

BB1 1" 1000mm — **BB34** 3/4" 1020mm

ABL IMPORTS

FOOD EQUIPMENT

TABLE TOP MEAT BANDSAWS



Stainless Tray, Adjustable Meat Gauge & Throat, Safety Pusher, Washable Blade Housing, 1.5hp Brass Wired Motor, Painted Steel Frame. Includes 1650mm Blades For Various Cut Thicknesses.

FARMTEC

HS-210CA
1.5HP 1650mm



Stainless Work Surfaces, Adjustable Tray & Throat, Safety Meat Pusher, Washable Blade Housing, 1.5hp Motor & Painted Steel Frame. Supplied With 1830mm Meat Bandsaw Blades.

FARMTEC

HS-280I
1.5HP 1830mm



Sliding Tray, Top Mounted Safety Switches, Adjustable Throat, Safety Pusher, Washable Blade Housing & 1.5hp Motor. Supplied With 1770mm Meat Bandsaw Blades.

FARMTEC

HS-260A
1.5HP 1770mm



Stainless Tray & Work Areas, Adjustable Throat, Safety Pusher, Alloy Mainframe, Washable Blade Housing & 1.5hp Motor. Supplied With 1650mm Meat Bandsaw Blades.

FARMTEC

HS-250E
1.5HP 1650mm

FLOOR MEAT BANDSAWS



Sliding Table, 2hp Motor, Up To 350mm Cut Height, Mobile Castors With Brakes, Safety Push Bar And Switches & Pressure Clean Design.

FARMTEC

HS-350SS
2HP 2400mm



Budget-Friendly Meat Saw With 240mm Cutting Height & 210mm Width. 3/4hp Motor, 300 – 400rpm, 600x470mm Stainless Steel Sliding Table. Includes 4-Blade Mincer & Sausage Filler. Supplied Flat-Packed For Assembly.

FARMTEC

BSMC10
3/4HP 2085mm



4hp 3000w Motor, Stainless Steel Body & 950x750mm Sliding Table. Cuts Fresh & Frozen Meat. Safety Switch, Push Bar, Auto Blade Shutdown, Easy Pressure-Clean System & Lockable Wheels For Mobility.

FARMTEC

HS-500S
4HP 3330mm

CATERING TROLLEY



430 Stainless Steel Body & Top, 3 Shelves & Insert. 840 X 530 X 880mm. 4x100mm Swivel Castors & Curved Handle.

GBENW014
840x530x880mm

CORNER WORKBENCH



100mm Splashback & 78mm Subframe. 500 X 500 X 910mm, 5 Legs For Stability & 250kg Load Capacity.

GBENW-CNR
500x500x910mm

LONG WORKBENCH

Stainless Steel Workbench With 2 Shelves, 42mm Grub-Screwed Legs & Adjustable Feet. 910mm High, Easy Assembly.



GBENW-LONG
1800x600x910mm

GBENW016
1800x500x910mm

SAUSAGE MACHINE

7l Manual Stainless Steel Sausage Filler With Dual Speed & 5 Tubes.




15l Electric Stainless Steel Sausage Filler With Adjustable Speed & Foot Control.

HS7S
7L Manual

FARMTEC

HS-KD15
15L 240v 1/2HP

WET SHARPENER



WST250
250mm 1/4HP

KNIFE SET



BKK-11Y
11 Pcs 150-300mm

FOOD EQUIPMENT

240V MEAT MINCERS



No.22 Meat Mincer, 304 Stainless Housing, Gear Driven, Forward Reverse, 1.4hp & 688mm Plates.


HS-TK22
1.4HP 240V



Heavy Duty Meat Mincer With 304 Stainless Housing, Gear Driven Motor, Forward/Reverse, 2hp, 10a Plug.

HSTK-32
2HP 240v

MANUAL MEAT MINCERS



Hand Operated No.10 Meat Mincer, Heavy Duty Bench Clamp Design

1027
No.10 Head



No.32 Hand Meat Mincer With Coarse Plate & Bolt-Down Base.

1028
No.32 Head

FOOD SLICERS



HSB300
270W 0-17mm 12"


Carbon Steel Blade, Adjustable Thickness Control & Built-In Sharpener. Powered Motor For Fast Slicing, Die Cast Alloy Body, Removable Food-Grade Parts & Non Slip Safety Base.



HSB250
240W 0-13mm 10"

AIRCON EQUIPMENT

DIGITAL THERMOMETER



-50°C To 150°C Range, °C/&°F Modes

17170-1
-50°C-150°C

UV LED TORCH



100mm, 12 LEDs & AAA Powered

17168
100mm 12 LEDS

AIRCON QUICK RELEASE ADAPTORS




QCL
High Pressure



QCH
Low Pressure

AIRCON MANIFOLD KIT



R134A Gauge Set With 3 Hoses & Safety Valve.

17137-1
63mm R134A

AIRCON CHARGING SCALE

100kg Digital Charging Scale, Programmable Alarm, 2g-10g Resolution & Auto Shutoff.



17133-2
100kg 2g-10g

AIRCON O RING KIT

420 Pc HNBR Aircon O-Ring Assortment In Resealable Case & Multiple Sizes.



24054
420 PCS

INFRARED THERMOMETER

Backlit LCD, -50°C - 380°C Range, 12:1 Distance Ratio, <0.8s Response, Hold Function, Auto Off, 9V Battery & Belt Case



12112
--

TYRE EQUIPMENT

TRAILER JACKS



XY5000E
2.25T 675-1050mm

XY5000S
2.25T 420-690mm

XY7000E
2.0T 520-890mm

XY10000E
4.5T 698-1000mm

XY3000H
1.3T 1060-1440mm

TRUCK TYRE CHANGING TOOLS



7 Piece Kit For 17.5"–24.5" & Wide Base Sizes. Includes Lever Bar With Wheels, Beavertail Bar, Bead Keepers, Clevis, On/Off Plate & Wedge.

WORK HORSE

14607
17.5"-24.5" 7 PCS



240mm Wire Cord Tyre Valve Fishing Tool With Valve Removal Tool. Assists Valve Hole Location When Fitting Tubes. Durable Design For Efficient, Accurate Installation.

14476
240mm



TNT Style Tyre Tool Set For 17.5"–22.5" Tyres.

14604
Carbon Steel

WORK HORSE

14604-2
42CR Heavy Duty



1050mm Heavy Duty Truck Tyre Lever For Tubeless Tyres. Spring Steel Construction With Rimmed Heel & 30mm Wide Toe Plus Spoon End. Extra Long Design For Increased Leverage & Efficient Tyre Removal.

WEL-BILT

14599
1050mm 30mm

TRUCK WHEEL DOLLIES

1 Ton Truck Dual Wheel Dolly With 67 – 240mm Lift Range. Hydraulic Jack With 0–6° Tilt. Steel Frame, Swivel Castors & 1550mm Chain.



WEL-BILT

TL-5520
1000kg 240mm

1500kg Tractor & Truck Dual Wheel Dolly With 1000–2200mm Wheel Range & 1100mm Width Capacity. 2 Speed Hydraulic Ram, Adjustable Retaining Arm & Poly Covered Swivel Castors With Brakes For Safe, Single Operator Handling.



WORK HORSE

19063-1
1. 1000-2200mm

TYRE REPAIR KITS

WEL-BILT

14256
24 PCS 34x6mm





WEL-BILT

14259
24 PCS 62x9mm

WORK HORSE

14316
28 PCS 100mm





19 Piece Tubeless Tyre Repair Kit With CO2 Inflation & Plugs.

WORK HORSE

14317
19 PCS 10x100mm

WORK HORSE

TPLUG-AMT
60 PCS 100mm



TYRE INFLATOR

Garage Style Tyre Inflator With Deflator & Gauge. 90–200 PSI Range, 1/4" BSP Female Inlet. Rubber Protected Body With Magnified Linear Reader & Coil Hose Bumper For Accurate, Durable Pressure Control.




WEL-BILT

14547
90-200 PSI 1/4"

TYRE EQUIPMENT

BUBBLE WHEEL BALANCER

Machined Alloy Head & Bulls Eye Level. Suits 37–100mm Hubs. 540mm Height For Accurate Balancing Of Car & Light Truck Wheels.



39741
37-100mm 540mm


TYRE WHEEL NUT CRACKERS

1" Drive Wheel Nut Cracker Set With 64:1 Gear Ratio, 4500Nm Output Torque, 33mm & 38mm.



14623
1" 33-38mm

TYRE REGROOVER





240v Tyre Regroover With Blade Set For Heavy-Duty Tyres.

14215-1K
11 PCS 3-28mm

14215-1
240v

WORKSHOP TYRE DOLLEY

Poly Reinforced Tray, 140Kg Capacity, 640mm & Four 75Mm Castors, Including One Brake,



JKMD05
640mm 140kg



1" Drive With 1:56 Ratio, 3200Nm, 21mm–41mm Sockets, Extension Pole & PVC Carry Case.

14622-1
1" 1:56 21-41mm

BEAD SEATER TANKS

19L Automatic Bead Seater With Push-Button Release & Gauge.



14578-2
19L 1/4"



19L Tyre Bead Seater Tank With Gauge & Safety Valve

14578
19L 0.8MPA

9L Tyre Bead Seater Bazooka With Pistol Grip, Gauge, Safety Valve & Ball Valve, 87 – 116 PSI Operating Range.



14578-P9L
9L 85-115PSI

TYRE BEAD BREAKERS

40mm Round Bar, 50mm Toe, 1.2m Body & Bead Safe Wedge Foot



14604-1
40x50mm 1.2M

40mm Body, 50mm Toe, 2.0m Extension, 700mm Stroke, 11kg Weight.



14605
40x50mm 2M

25" To 51" 5 Pc Rims, Delivering 10 Ton Force, 110mm Stroke, Self-Retracting Function & 3/8" NPT Coupler.



14609
5 PCS 25" - 51"

10,000 PSI, 3 Levels & 3/8" NPT Coupler.



14610-2
10,000 PSI 3/8"

TYRE CHANGERS

Semi-Automatic Tyre Changer For 10"–24" Rims, With 0.75/1.1kW Motor, Step Pedal, Durable Clamp, Steel Mounting Head & 8–10 Bar Operating Pressure



14010
10"-24" 8-10 BAR

Manual Tyre Changer With Built-In Bead Breaker & Tyre Lever, For 8" To 18" Car, Motorcycle & Light Truck Wheels, Featuring Steel Construction & Predrilled Base



14045
8"-18"

Built-In Bead Breaker, Multi Adjust Holder, Rubber-Tipped Fingers & Steel Construction For Car, Truck & Motorcycle Wheels Up To 524mm.



14045-2
524mm

FUEL EQUIPMENT

FUEL TRANSFER PUMP

12V Ex-Proof Fuel Transfer Pump, 57L/Min, Self-Priming, Meter, Auto Nozzle & Hoses Included.



WORK HORSE

16197-1
12v 57L/min

LOW PROFILE OIL DRAINER

76 Litre Tray, Rotary Cast Pump, 4 Swivel Wheels, 2.4M Evacuation Hose & Polyethylene Tank For Buses, Coaches & Trucks.



WEL-BILT

17036
76L 2.4M

FLOW METERS



1" BSPF Female Inlet & Outlet, 1–150L/Min Flow Rate, 0.5% Accuracy, 7Mpa Working Pressure & Battery-Powered Operation.

WEL-BILT

16202-2
1" 1-150L/min

DIESEL PUMP REPLACEMENT

40LPM Open Flow, Self Priming, Thermal Protection, Inner Bypass Valve, Mounting Bracket, Carry Handle & On/Off Switch



12VDIESELP
40 LPM

ROTARY PUMPS



25mm Outlet, Fits 205L & 60L Drums, 4:1, 1L Per 4 Turns

WEL-BILT

160302-1
4:1 1L 25mm



10–120L/Min Turbine Meter, 1" BSP Inlet & Outlet Fittings, Resettable Batch Count, Permanent Total Count & Battery Operation.

M-K24
10-120L/min 1"

LEVER ACTION BARREL PUMP

60L & 205L Drums, Zinc Plated Body, Alloy Head, Telescopic Suction Tube, Brass Piston Ring, 300ml Per Stroke & Cushioned Vinyl Handle



16174-1
300ml/Stroke

LEVER ACTION BARREL PUMP

Non-Drip Spout, Kink Free Hose, 4-Finger T Handle, 300ml/Stroke Flow, Fits Poly Drums & Handles Heavy Gear Oils.



160302
300ml/Stroke



1" BSP Female Inlet & Outlet, 60–120L/Min

WORK HORSE

16202
1" 60-120L

SUBMERSIBLE DIESEL PUMP

For Diesel, Kerosene & Water, Delivering 20-35L/Min. Compact 175Mm Body, 3M Leads, 19Mm Outlet, Self Priming Performance For Drums & Tanks. Includes Clips & Wire.



WEL-BILT

16194-5
20-35L/min 3M

FUEL TRANSFER KIT



60L & 205L Drums, Zinc Plated Body, Alloy Head, Telescopic Suction Tube, Brass Piston Ring, 300ml Per Stroke & Cushioned Vinyl Handle

WEL-BILT

12VDFUELKIT
12V 3M 3/4"



1" BSP Female Inlet & Outlet, Alloy Body, 4-Digit Resettable Subtotal


WORK HORSE

16201
1" 4 Digit

FUEL EQUIPMENT


FUEL NOZZLES

Automatic Fuel Nozzle With Mechanical Flowmeter, 1" BSP Female Inlet.




20mm ID, 25mm OD, 25–60L/Min Flow, ±1% Accuracy, For Petrol, Kerosene & Diesel, Non-Gravity Tanks.

WEL-BILT — **N-LLY-25S** 5-60L/min



Auto Shut-Off Diesel Fuel Nozzle With 3/4" BSP Female Inlet, 15/16" Spout & Swivel, Up To 120L/Min Flow, Pump Use Only, Not Suitable For Overhead Tanks.

WEL-BILT — **A3001-A30** 120L/min 3/4"



Manual Fuel Nozzle, 1" BSP Female Inlet, 15/16" Spout, 60L/Min Capacity, Aluminium Alloy Construction, 25mm Size, For Petrol & Diesel, With Handle Hook.

N13A 1" 60L/min

DEISEL PUMP KIT

240V, Auto Shut-Off Nozzle, 4-Digit Flowmeter, 80L/Min Pump, 4m Hose & 2m Inlet Hose.



WEL-BILT — **16204** 1% 240V 80L/min

REFUELING KIT



12V With Auto Nozzle, 4-Digit, 40L/Min, Carry Frame, 4m Delivery Hose & 2m Inlet Hose.

WEL-BILT — **PETM-40A** 12V 40L/min 4M

DIESEL/OIL EXTRACTOR PUMP

12V, 4L/Min Diesel Flow & 3L/Min Warm Oil Flow.



6mm Suction Hose, Battery Clamps & Rear Switch, Ideal For Quick, Clean Oil Changes.

WEL-BILT — **16199-1** 12v 4L/min

OIL TRANSFER PUMP

Air-Operated Oil Transfer Pump Kit, 5:1 Ratio, Digital Non Drip Handpiece With Flex Nozzle & 5m Hose.



Up To 18L/Min, Suits 60L & 205L Drums, Oils To 240 SAE.

WEL-BILT — **16141** 5:1 18L/min

DRUM HANDLING GEAR



Drum Dolly Trolley Base For 205L Drums, 605mm Internal Diameter, 400kg Load Capacity, Raised Ridge For Secure Fit, With Swivel Castors & Greasable Ball Bearing Raceways.

FARMTEC — **GCARD001** 205L 400kg

Drum Carrier & Pourer For 205L Drums, Suits Steel & Plastic Drums & 364kg Capacity.




24282-1 205L 364kg



Drum Cradle Rack For 205L Drums, Suits Plastic & Metal Drums, 270kg Capacity, Powder-Coated Finish, Lifting Handle & 4 Castors.

FARMTEC — **24002-1** 205L 270kg



2-Drum Cradle, Floor-Standing & Stackable Design.

Powder Coated Finish, 725kg Capacity Per Stand,

Supports Up To 4 Drums High.

FARMTEC — **DR-2** 205L 725kg

DIAGNOSTIC EQUIPMENT

INFRARED THERMOMETERS



LCD Backlit Display, Laser Targeting & 12:1 Distance Ratio; Measures -50°C To 530°C In Under 0.8 Seconds; Includes Carry Case & 9V Battery.

WEL-BILT **12115** 12:1 -50c - 530c



LCD Display, Laser Targeting & Hold Function; Measures -50°C To 380°C In Under 0.8 Seconds; 9V Battery Powered With Auto Shut-Off & Carry Case.


WEL-BILT **12112** -50c - 380c 9v

Radiator Pressure Test & Vacuum Purge Refill Kit With Composite Nylon Adaptors, Pressure Gauge Pump, Storage Case & Thermometer.



WEL-BILT **11126-1** --

COMPRESSION TESTERS



Diesel Cylinder Pressure Meter With 57mm Dual-Scale Gauge, Auto Reset Deflator, 419mm Reinforced Hose & Swivel Quick Coupler; Measures 0–1000 PSI / 0–70 Bar.

WEL-BILT **12203-1** 0-70 BAR 419mm



Petrol Engine Compression Tester Kit With Quick-Release Chuck & 0–300 PSI Gauge.

WEL-BILT **12198** 0-300 PSI 63.5mm

Vacuum Pump & One-Man Brake Bleed Kit With Steel Cylinder, 3-Inch Dual Scale Gauge & 360° Rotation; Includes Case, Hoses & Adapters.



WEL-BILT **12207** --

Fuel Injection Pressure Tester With 90mm Dual Scale Gauge, Quick Couplings, Safety Valve & Long Drain Hose; Tests Schrader Port Fuel Systems From 0–140 PSI / 0–10 Bar



WEL-BILT **12190** 0-10 BAR 90mm

Petrol Engine Compression Tester Kit With Heavy-Duty 60mm Dual Scale Gauge, Release Button, Five Adaptors & Spark Plug Thread Chasers; Suits Motorcycles, Cars & Trucks.



WEL-BILT **12199** --

Diesel Engine Compression Tester Set With 60mm Liquid-Filled Gauge, Release Valve, 368mm Hose & 12 Adapters.




WEL-BILT **12201** --

ABL IMPORTS

DIAGNOSTIC EQUIPMENT

PRESSURE TEST KITS



Fuel Injector Pump Pressure Tester Kit With 63mm Gauge, 0–100Psi/0–7Bar Dual Scale, Schrader Hoses, Manifold Adaptors & M6 O-Ring Adaptor.

WEL-BILT **12189** 63mm 0-100 PSI



Vacuum & Fuel Pump Tester With 89Mm Gauge, 610Mm Hose & 3 Adaptors. Dual-Scale Pressure/Vacuum Readings, Color-Coded Dial & Hands-Free Hanging Hook.

WEL-BILT **12194** 89mm Gauge



60Mm Dual-Scale Gauge, 300Mm Flexible Hose & Multiple Spark Plug Adaptors

WEL-BILT **12196** 60mm Gauge



Engine & Automatic Transmission Oil Pressure Tester With 75Mm Dual-Scale Gauge, 0–500Psi Readings, 1.8M Hose, 11 Brass Adaptors & 1/8", 1/4" & 3/8" NPT Fittings.

WEL-BILT **12193** 75mm 0-500 PSI



Cylinder Leak Detector & Pressure Tester Kit With Twin Gauges, Adjustable Regulator, 600Mm Hose & 14Mm/18Mm Adaptors For Accurate Engine Leakage Diagnosis.

WEL-BILT **12205** 600mm 14/18mm




Diesel Engine Compression Tester Kit With 0–1000Psi, Quick-Coupling Adaptors, Flexible Hose, Pressure Relief Valve & Glow Plug/ Injector Fittings

WEL-BILT **12203** 0-1000 PSI




60Mm Dual-Scale Gauge, 600Mm Oil-Proof Hose & 1/8", 1/4" & 3/8" NPT Fittings.

WEL-BILT **12195** 60mm 600mm



60Mm Dual-Scale Gauge, 330mm Hose, Quick Couplers, Multiple Adaptors & Blow Moulded Case.


WEL-BILT **12202** 60mm 330mm



46-Piece Master Fuel Injection Test Kit With 140Psi/10Bar Gauge.

WEL-BILT **12187** 46 PCS

SUCTION TRANSFER GUN



500cc Double-Action Suction Transfer Gun With 2 x 1000Mm Clear Flexible Hoses & Inlet Outlet Valve For Fast, Easy Transfer Of Transmission, Gear & Differential Oils.

WEL-BILT **67.000.126** 500cc 2x1000mm

ABL IMPORTS

HYDRAULIC EQUIPMENT

THIN JACK RAMS

11383 20T 56-67mm

11386 100T 91-107mm



Thin Hydraulic Ram, Spring Return, 10,000 Psi.

11384 30T 62-75mm

FARMTEC

11385 50T 72-88mm

CYLINDER JACK RAMS

11397 20T 226-376mm

11396 20T 176-276mm



Spring Return & High-Pressure Coupling Compatibility

11404 100T 182-232mm

11406 100T 282-432mm

THIN MULTI-STAGE RAMS



Low Profile Hydraulic Ram With Spring Return & High-Pressure Coupling Compatibility.

11387 10T 49-74mm

FARMTEC

11388 20T 84-161mm



11389 30T 64-118mm

11390 50T 74-140mm

11391 100T 93-162mm

HOLLOW RAMS

11395-1 20T 161-211mm

11396-1 20T 223-323mm

11401-1 60T 247-297mm

Hollow Hydraulic Ram With Spring Return, Hollow Bore Design & High-Pressure Coupling Compatibilit.

11398-1 60T 180-230mm

11399-1 30T 246-346mm

11402-1 60T 304-404mm



HYDRAULIC RAMS

2 Ton Hydraulic Ram, 70Mm Stroke, 139Mm Closed Height.

11201-1 2,000kg 70mm




10 Ton Hydraulic Ram, 57Mm Stroke, 135Mm Closed Height.



11201-2 10,000kg 57mm

10 Ton Hydraulic Ram, 135Mm Stroke, 358Mm Closed Height.

11201-4 10,000kg 135mm



4 Ton Hydraulic Ram, 125Mm Stroke, 270Mm Closed Height.



11201-5 4,000kg 125mm

10t Hydraulic Hand Pump, 2 Stage, 820Cc Capacity, 1.5M Hose.

11209 10,000kg 820cc





30t Hydraulic Hand Pump, 2 Stage, 1.5M Hose.

11209-1F 30,000kg 1.5m

10 Ton Hand Pump, 820Cc, 10,000 Psi, 50Mm Gauge.

11209-M 10,000kg 820cc



50,000Kg Hydraulic Hand Pump, 2 Stage, 2.8L, 10,000 Psi.



11209-2 50,000kg 2.8L

HYDRAULIC PUMPS

Air/Hydraulic Foot Pedal Pump, 6.8L Capacity, 10,000 Psi.

11418-004 6.8L 10,000 PSI



Air/Hydraulic Foot Pedal Pump, 2.3L Capacity, 10,000 Psi.

11418-001 2.3L 10,000 PSI





Air/Hydraulic Foot Pedal Pump, Double-Acting, 2.3L, 10,000 Psi.

11418-001D 2.3L 10,000 PSI



240V Hydraulic Pump, 7L Tank, Dual Hoses, 70Mpa.

11423FP 240V 7L 70MPA

HYDRAULIC EQUIPMENT

HYDRAULIC PRESSES

20 Tonne Hydraulic H-Frame Press With Side Pump, Sliding Head, 140mm Stroke & 100Mm Gauge. Removable Ram For Offset Pressing, Bushing, Bearing & Bending Jobs.





11298
20,000kg 140mm

50 Tonne Hydraulic Floor Press With 220mm Stroke, Two-Stage Hydraulic & Manual Pump, Adjustable Winch Table, Pressure Gauge & 680mm Max Ram-To-Table Capacity.






WORK HORSE

11304
50,000kg 220mm


75 Tonne Air Over Hydraulic Shop Press With 125Mm Gauge, Adjustable Safety Cage, Side-Shift Head, Manual Hand Pump & Winch-Adjustable Table From 200mm To 910mm.



WEL-BILT

11304-1
75,000kg 710mm

30 Tonne Pneumatic & Manual Hydraulic H-Frame Press With 150Mm Stroke, 100Mm Gauge, Adjustable Pin-Set Table & 525Mm Internal Width For Bearings, Bushings, Gears & Ball Joints



11302
30,000kg 150mm

12 Tonne Hydraulic Floor Press With Spring Return Bottle Jack, 8 Height Settings, 83–720Mm Working Range, 420Mm Column Gap & V Blocks Included



WORK HORSE

YPRES002
12,000kg 80mm


20 Tonne Hydraulic Floor Press With Spring Return Bottle Jack, 150Mm Stroke, 8 Height Settings, 420Mm Column Gap, 83–720Mm Working Range & V Blocks Included.



WORK HORSE

YPRES003
20,000kg 150mm

PORTA POWER KITS



10 Tonne Hydraulic Porta Power Kit, 2-Stage Pump, 4 Extensions

11198
10,000kg 130mm



20 Tonne Hydraulic Porta Power Kit, 145Mm Lift, Metal Case.

11200-1
20,000kg 145mm

20 Tonne Hydraulic Porta Power Kit With 125Mm Stroke & 11 Attachments



11200
20,000kg 125mm

HYDRAULIC FITTINGS

3/8" NPT Hydraulic Quick Connect Couplers, Male & Female, 10,000 PSI, Steel Construction, Zinc Finish, Dust Cap Included, For High-Pressure Pumps, Hoses & Rams.



OTC-MF-SET
3/8" NPT

3/8" NPT Hydraulic Male Half Coupler With Female Thread, USA-Style OTC Fitment, 10,000 PSI Rating, For Rams, Pumps & Hoses



OTC-M-FIT
3/8" NPT

ABL IMPORTS

POST HOLE DIGGERS & DRIVERS

WELDING CLAMPS

23769-160
160x80mm

23769-200
200x100mm

23769-300
300x80mm



F CLAMP

23769-350
350x140mm

23769-400
400x120mm

23769-500
500x180mm



F CLAMP

23768-2
am

23768-1
1200 300x120mm

23768-3
1000 300x140mm



RATCHET

WELDING HELMET

Auto-Darkening Welding Helmet With 100×50mm Viewing Area, DIN 5-13 Shade, Solar Power, 4 Sensors & Grinding Mode.



DHELW040T
100x50mm

WELDING CARTS



Dual Gas Bottle Platform, 3 Drawers, Cupboards, Torch Hooks & Locking Swivel Wheels, 92×76×54 Cm.

XH-WT100K
920x760x540mm



4 Lockable Drawers, 80kg Capacity, 265 × 450mm Tray & 4 Castors Including 2 Swivel & 125mm Solid Wheels.

TC2073B
265x450mm x 4

FENCING WIRE TENSIONER

350kg Safe Load & Removable Handle.



WORK HORSE

FWT2.0
350kg 200cm

50kg Capacity, 3 Storage Levels, Gas Cylinder Chains, Cable Hangers & 4-Wheel Mobility For Welder, Hose & Helmet Storage.



XH-WC
50kg 711x685mm

2 Layer Mobile Welding Cart With 80Kg Capacity, Gas Bottle Guard & Chain.



TC2073A
445x350mm 80kg

FENCING PLIERS



300mm 12" Long Fencing Plier With Flat Nose, Pipe Grip & Tip Teeth.

100012VN-05
300mm 12"



200mm 8" Long Button Fencing Plier With Flat Nose, Three Wire Cutters, Non-Slip Grip & Fence Button Design

10008VN-05
200mm 8"




254mm 10" Long Fencing Plier With Flat Nose, Pipe Grip & Tip Teeth.

100010VN-05
254mm 10"

POST HOLE DIGGERS & DRIVERS

POST HOLE DIGGERS



50HP Square Frame, 100 x 50mm 4.7mm Wall Construction, Oil-Filled Gearbox, Category 1 Linkage, 2" Output Shaft, 540RPM, Fits 6"–14".

PHDT50
50HP 100x50mm



75HP PTO Post Hole Digger With Heavy-Duty Square Frame, 100 x 80mm Weldless Steel Tube, Oil-Filled Gearbox, 540RPM, Category 1-3 Linkage, Fits 6"–24" Augers Sold Separately.

PHDT75
75HP 100x80mm



2-Way Hydraulic Ram, 100 X 50mm Steel Beam, Oil Filled Gearbox.

50mm Output Shaft, Category 1 & 2 Linkage, Suits 6"–20" Augers, Up To 60HP.

FARMTEC

PHDTH50
60HP 100x50mm

HAND POST HOLE DIGGERS



52cc With 1.72kW 2-Stroke Engine, 1.2L Fuel Tank, 34:1 Gear Ratio,



Includes 100mm & 150mm Augers For One Or Two Person Operation.

WS520-2
52cc 1.2L 34:1



Petrol Star Picket Driver With 32.7cc 2-Stroke Engine, 0.9L Fuel Tank, Recoil Start, 55mm & 69mm Sleeves, 25–45J Impact Energy & Vibration Reducing Handles

FARMTEC

GJH-55GPD
32.7cc 0.9L



2-Stroke Air-Cooled Engine, 55–100mm Sleeve Range, 25–55J Impact Energy, Recoil Start, Vibration-Reducing Handles & Portable 21kg Design.

FARMTEC

GJH-95GPD
25-55J 55-100mm

POST HOLE AUGERS

AG6H
150mm

AG9H
230mm



AG12H
305mm

AG18H
450mm

HYDRAULIC POST HOLE DIGGER




2-Way Hydraulic Ram, 75HP Gearbox, 50mm Output Shaft, Category 1-3 Linkage, Suits 6"–24" Augers & 45–80HP Tractors

FARMTEC

PHDTH75
6"-24" 45-80HP

CEMENT MIXER



5 Cubic Foot PTO Cement Mixer With Cat 1 3-Point Linkage, 11 Gauge Steel Drum, Internal Paddles, Hydraulic Dump Control, 540RPM PTO & 30HP Minimum Tractor Requirement

FARMTEC

CM5
540RPM 30HP

ABL IMPORTS

TRACTOR ATTACHMENTS

TRACTOR QUICK HITCH

Rear Tractor Quick Hitch With Floating Top Link Bracket, Steel Construction, 4-Position Draw Pin Adjustment, Category 1 Pins, 760mm Wide, Suits 18–50HP Tractors



QH1
760mm 18-50hp



Rear Tractor Quick Hitch With Heavy Duty Steel Construction, Floating Adjustable Top Link Bracket, 4-Position Draw Pin Adjustment, Category 2 Pins, 760mm Wide, Suits 75HP+ Tractors

QH2
760mm 75hp+

WHEEL ATTACHMENTS

Slasher Wheel & Bracket With 400 x 100mm Solid Rubber Puncture Proof Tyre, Steel Rim, Sealed 20mm Bearing Hub & Heavy-Duty Mount For Slashers & Graders



SWHEEL/T
400x100mm 20mm



Mower Wheel With 210 x 75mm Hard Rubber Flat Tyre, Metal Rim, 25mm Shaft & 2 x 6205ZZ Ball Bearings For Durable, Reliable Performance.

ATFM/WHEEL
210x75mm 25mm

FERTIZLISER SPREADERS

ATV Fertilizer Spreader With 159kg Square Steel Hopper, Oil-Filled Cast Iron Gearbox, Adjustable Towbar With 50mm Coupler, 3–9m Spread Width & 15" Pneumatic Tyres



FIS160FS
159kg 3-9m

300L PTO Spreader With 550kg Capacity, One-Piece Powder Coated Steel Hopper, 4-Fin Spreading Disc, Adjustable Seed Gate, 6–10m Working Radius & PTO Shaft Included.



FS300
550kg 6-10m

TRACTOR RAKE

2400mm 3-Point Landscape Rake With Heat-Treated Spring Steel Tines, 360° Rotation, 8ft Working Width & Durable Design For Grading, Levelling, Debris, Stone & Stick Removal



LR8
2400mm 3PL

GRADER BLADE



1500mm 3-Point Grader Blade With Angle & Tilt Adjustment, Reversible Hardened Steel Cutting Edge, Offset Mounting & 360° Rotation For Levelling Driveways, Sand, Soil & Gravel

GB5TLT
1500mm 3PL

BALE SPEAR



1220mm Round Hay Bale Spear With Spring Steel Construction, Tapered Heat-Treated Point, Powder-Coated Finish & 3000lb Capacity For Stable Bale Handling Across Tractors, Loaders & Telehandlers.

T-BSPEAR
1220mm 1360kg

WHEEL SET



Lawn Rake Wheel Levelling Height Set Of 2 For Stable Height Adjustment & Smoother Ground Levelling

LR2WH-PK
x 2 Wheels

SINGLE TINE RIPPER


Poly Ripper Pipelayer With 80mm Pipe Attachment, Cat 1 & 2 Linkage, 800mm Ripping Depth, Reversible Point & Removable Pipelayer For Soil Prep, Stump Removal & Pipe Laying.



RP700PL
CAT 1 & 2 800mm

SKID STEER LEVELING BAR

1500mm Levelling Bar For 4-In-1 & Skid Steer Buckets, Quick-Attach Design, Heavy-Duty Construction & Wide Profile For Fast, Even Spreading & Surface Levelling.



LB5
1.5m 4-in-1

TRACTOR ATTACHMENTS

WOOD CHIPPERS

200mm PTO Wood Chipper With Hydraulic Feed, 2 CR12 Blades & 360° Rotating Outlet.



WC-8TH
200mm 540rpm

200mm PTO Wood Chipper With Swivel Chute, 3-Point Linkage & 25-45HP Capacity



WC-8TM
200mm 25-45hp

150mm PTO Wood Chipper With Hydraulic Feed, 4 Reversible CR12 Blades, 360° Discharge Hood & 60-80HP Capacity



BX62R
150mm 60-80hp

SLASHERS

4Ft 1200Mm Standard Duty Slasher With 1150Mm Cutting Width. Adjustable 25-100Mm Skids, PTO Shaft & Slip Clutch Included. Suits 20-45Hp Tractors.




SM1200
1200mm 20-45hp

5Ft 1500Mm Medium Duty Slasher With 1450Mm Cutting Width, Reinforced Solid Steel Deck & Heat Treated Blades. Adjustable 25-100Mm Skids, PTO Shaft & Slip Clutch Included. Suits 35-60Hp Tractors.



SM1500
1500mm 40-60hp

1800Mm Heavy Duty Slasher With 5mm Deck, Rear Tail Wheel & Reversible Double-Sided Skids. 80 - 150Mm Cut Height, Slip Clutch & PTO Shaft Included. Suits 50-75Hp Tractors.



SM1800
1800mm 50-75hp


ROTARY HOES

1250Mm Heavy Duty Rotary Hoe With 24 Blades. 180mm Depth & All Gear Drive. PTO Shaft Included, Cat 1 3 Point.



RH-HD125
1250mm 30-80hp

2300mm Heavy Duty Rotary Hoe With 48 Blades, Adjustable Working Depth & All Gear Drive. Includes PTO Shaft, 24 Spare Blades & Parts Booklet. Suits 80-150Hp Tractors.




RH-HD230
2300mm 80-150hp

Tow Behind Land Roller With Spikes, 23" Steel Drum, Fillable With Water Or Fine Sand For Added Weight.



5BRARS23
23"

HANDLING EQUIPMENT



BSA1000
3PL + 3 Spears

PF900A
3PL 900kg

MOWER ATTACHMENTS



SMWKIT
4-6ft Slashers

FM1550
--



AFM120-6
1200mm 13.5hp



FM1150
1550mm 20-50hp



FM1500
1500mm 40-60hp




ATFM150-A
16hp 5ft 3-blade

GREASING EQUIPMENT

GREASE GUN HAND PIECE

180Mm Alloy Hand Grease Gun Piece With 4-Finger Adjustable Swivel, Trigger, 360° 1/4" Bsp Inlet, 1/8 Npt Outlet, 10,000Psi Pressure & 125Mm Rigid Coupler.



16042
180mm 20kg 1/4"

CORDLESS GREASE GUN

18V Cordless Grease Gun Kit With 2 X 1.5Ah Batteries, 75-Minute Charger, 1040Mm Hose, 10,000Psi Pressure, 3 Oz/Min Flow & 450G Cartridge Or Bulk Fill Capability.



16110-L
18v 2x1.5AH 450g

AIR GREASE PUMP KIT

Air-Operated 20Kg Grease Pump Kit With 5M Hose, Swivel Hand Piece, 30L Barrel Capacity, 5500Psi Pressure, 0.85L/Min Flow, Castor Base, Regulator & Gauge.



16019-1
20kg 5m 5500 PSI

PISTOL GRIP GREASE GUNS

600Cc Pistol Grip Grease Gun With 450G Cartridge Capacity, 3-Way Loading, 6000Psi Output, Steel Barrel, Flexible & Fixed Extensions, Air Vent Valve & Filler Plug.



PGR450G
600cc 450g

Twin Grip Grease Fitting & Hose Kit With Quick Connector, 300mm Hose, Teflon Tape & Clear Cas.



16051-KIT
300mm 3 PCS

COUPLER LOCK & TUBE

Quick Release Lock & Lube Grease Gun Coupler With 1/8" Bsp Female Thread, Hardened 4-Jaw Coupler, 8000Psi Working Pressure & Compact Design For Tight Spaces.



16051-2
1/8" 8000 PSI

LEVER GREASE GUN

Lever Grease Gun With 450G Cartridge Capacity, 3-Way Loading, All-Steel Head & Barrel, 10,000Psi Maximum Pressure, 300Mm Flex Hose, 150Mm Fixed Nozzle & Air Vent.



16071-5
350g 10,000 PSI

GREASE GUN EXTENSION HOSE



300Mm Flexible Grease Gun Extension Hose With 1/8" Npt Male Threads, Thermoplastic Construction, Anti-Kink Spring, 3000Psi Working Pressure & 12,000Psi Burst Strength.

16111
1/8" 12,000 PSI

LUBE ACCESSORY KIT


11-Piece Lube Accessory Kit With 300Mm Flexible Hose, Grease Needle, Needle Adaptors, Flat Adaptor, Multiple Couplers & 1/8 Bsp/Npt.



16121
11 PCS 300mm

GREASE NIPPLE KITS

110-Piece Metric Grease Nipple Assortment Kit With Straight, 45° & 90° Fittings In M6X1, M8X1 & M10X1.



24078
110 PCS 45° & 90°


110-Piece Grease Nipple Fitting Assortment Kit With Straight, 45° & 90° Angles In 1/4"-28 & 1/8"-27 Sizes



24079
110 PCS 45° & 90°

OIL CONTROL GUN

Digital Oil Control Gun With Flexible Nozzle, Multi-Unit Gauge, 0–35L/Min Flow Range, 0.05 – 0.7Mpa Working Pressure & 1/2" Female Bsp Inlet.



16147-1
0-35L/min 1/2"

WOOD WORKING

DUST EXTRACTOR

2HP Dust Extractor With 250mm Fan & 500CFM Airflow, Dual 125mm Inlets, 5-Micron Filtration, 495mm Dia. Collection Bags & Wheeled 840 x 550mm Base For Efficient Workshop Extraction.



6002
2HP 500 CFM

DUST EXTRACTOR HOSE KIT


Dust Extraction Hose Kit With 2 x 3m Ø100mm Hoses, 10 Clamps, 3 Dust Hoods, Y Connector & 2 Shut-Off Valves For Versatile Multi-Tool Dust Control.



DUST-HKIT
100mm 2x3m

WOOD SANDERS & GRINDERS

200mm Bench Grinder With 500W 240V Motor, Coarse 36-Grit & Medium 60-Grit Wheels, Protective Shields & Tool Rests For Precision Sharpening, Grinding & Workshop Versatility.



BG200WH
200mm 500W

WOOD TURNING TOOL SETS

8-Piece HSS Steel Wood Turning Tool Set With 230mm Handles, 170mm Blades & 420mm Overall Length, Including Skew, Gouge, Parting, Spear Point & Round Nose Profiles.



GT00W001
8 PCS 420mm

6-Piece HSS Wood Turning Chisel Set With 410mm & 465mm Handles, 170mm Blades, Including Deep Bowl Gouges, Skew, Round Nose & Spear Point For Wood Lathes.



GT00W002
6 PCS 170mm

Bench-Mounted Belt & Disc Sander With 25 x 762mm Belt, 125mm Disc, 300W 240V Motor, Tilting Tables, Mitre Guides, Belt Tracking & Dust Port.



25022
300W 25x762mm

3-Piece Wood Lathe Tool Set With High Speed Steel Gouging, Parting & Skew Tools, 300mm Handles & Wooden Storage Box For Precision Pen Turning



GT00W003
3 PCS 300mm

4-Piece Wood Lathe Starter Chisel Set With High Speed Steel Gouges, 420mm Lengths & Trimming Knife, Ideal For Shaping, Hollowing & Clean-Up Work.



GT00W004
4 PCS 420mm

Bench-Mounted Belt & Disc Sander With 25 x 762mm Belt, 125mm Disc, 300W 240V Motor, Tilting Tables, Mitre Guides, Magnetic Switch & Dust Port



25022-1
300W 25x762mm

5-Piece Wood Lathe Turning Tool Set With Reversible Insert Tips, Square, Pointed & Round Profiles, 415mm Overall Length, Ideal For Extra Hard Timber



GT00W005
5 PCS 415mm


WOOD SPUR DRIVES

Drive Centre With 1" x 8TPI Female Thread & Turning Dowel Hole, Designed For Wood Lathes & Suits 1" x 8TPI Male Mounts.



DCENT001
20-Tooth

DCENT002
4-Spur




Bench Top Disc Sander With 250mm Disc, 550W Motor, 2900 RPM Speed, 300 x 140mm Mitre Table, 240V 10 Amp Plug & Magnetic Safety Switch.

25021
550W 300x140mm

METAL WORKING

BAR BENDER



Flat, Round, Square & Angle Steel, With 700mm Handle, 6-Position Stops, Adjustable Limit, Die Plates & Material Stop.

11346
6 POS 1200 BENDS

UNIVERSAL BENDER MACHINE



8mm Rod & 30 x 2mm Flat Steel, Delivering Precise Up To 8° Circular Bends For Versatile Workshop Forming.

11343-1
8mm 30x2mm


PARTS WASHERS

19 Litre Tank, 13 Litre Fluid Capacity, 240V Power & Hinged Lid For Safe, Convenient Cleaning Of Workshop Components.



XH-PW019
19L 240V

METAL SCROLL TWISTER TOOLS



Scroll Former, Bender & Twister, For Mild Steel Strip, Flat Bar & Up To 6mm Round Or Square Bar.

W1
1/4" BASE 6mm



Scroll Former, Bender & Twister, For Mild Steel Strip, Flat Bar & Up To 10mm Round Or Square Bar.

W2
1/4" BASE 10mm

76 Litre Tank, 45 Litre Fluid Capacity, 240V Pump, 10–12L/Min Flow, Hinged Lid & 88cm Overall Height For Efficient Workshop Cleaning.



XH-PW076
76L 240V

ROUND & SQUARE BENDER



For Round & Square Tube, Suitable For 1.2mm Wall Mild Steel, With 8 Included Formers Covering 3/8" –7/8" Round & 3/4"–1" Square.

11343
1.2mm 8 Formers

COMPACT BENDER



7 Dies From 1" To 3", 1120mm Telescopic Handle, 970mm Stand, Bending Flat, Solid Round & Square Bar.

11344
1-3" 1120mm


150L Tank, 90L Fluid Capacity, 240V Pump Delivering 20L/Min, Flexible Nozzle, Hinged Lid & 114 X 55 X 33cm Tank; 89cm Height.



XH-PW150
150L 114x55x33cm

SCROLL BAR BENDER

75, 125 & 175mm Dies For Flat, Square & Round Bar.



Bends Scrolls, Radii & Angles; Solid Steel Frame With Multi-Metal Cutting Capability.

SBG30
75,125,175mm

ABL IMPORTS

REPLACEMENT PUMP

Solvent Parts Washer Replacement Pump In Housing With Threaded Nozzle, 20L/Min Flow & Fully Enclosed Electric Recirculation For Efficient Fluid Transfer.



XH-PW-PUMP
20L/Min

SANDBLASTING EQUIPMENT

GLASS BEAD SANDBLASTING CABINET



680L Glass Bead Blasting Cabinet With Foot Valve, Brass Flow Valve, Regulator & Gauge, 1175 × 865 × 850mm Work Area, Powerful Vacuum, Fluorescent Lighting & Reusable Hopper.

XH-SBC990
--

AIR SANDBLASTING CABINET




This 240v Air Sandblaster Cabinet Is Built For Efficient Rust Removal, Surface Cleaning, Scale Removal, & Glass Etching. It Features Foot Pedal Operation For Easier Abrasive Flow Control, Reducing Hand Fatigue During Longer Jobs. The Unit Includes Two Blasting Nozzles: A Heavy-Duty Hand Gun With Valve And A Stationary Nozzle Operated By The Pedal. Constructed With 14-Gauge Steel Legs & 16-Gauge Panels, It Is Powder Coated Inside And Out For Durability. It Also Includes 600mm Blast Gloves, Perforated Steel Flooring & A Particle-Separating Screen. Dual Side Doors Make Loading And Cleansimple. A Control Panel With Regulator, Pressure Gauge, Switches, & Indicator Lights.

XH-SBC350
360L 240V

DUAL STATION SANDBLASTING CABINET

1200L Capacity, 32L Media Load & 1300 X 1180 X 850mm Workspace. Two Foot Pedals.



XH-SBC1200
60-125 PSI

VERTICAL SANDBLASTING CABINET



The WELBILT XH-SBC220-III Sand Blaster Cabinet is a heavy-duty vertical blasting cabinet designed for efficient cleaning and surface preparation of larger parts. Built with strong steel construction, it features double side-opening doors for easier access & loading, along with a transparent glass viewing window for safe visibility during operation. The cabinet runs at 40–80 PSI with an air requirement of 15–25 CFM, while the maximum operating pressure is 125 PSI. Its enclosed design helps contain dust, keeping the workspace cleaner and safer. The working space measures 60 x 84 x 63 cm, with overall dimensions of 145 x 87 x 63 cm. It also includes 240V lighting, with two internal lights.

XH-SBC220-III
220L 15-25CFM

HANDHELD BLASTING GUNS



750ml With 1/4 Female Air Hose Thread, Requires 180L/Min Compressor At 5–8 Bar.

XH-HSDB01
750ml 1/4" F



0.9 Litre Tank, Recovery System & Collection Bag. Includes 4 Contact Nozzles

XH-HSB-1
0.9L 4xNozzles

ABL IMPORTS

SANDBLASTING EQUIPMENT

DEADMANS ABRASIVE BLASTER & TIPS





4 Ceramic Nozzle Tips, 1/4" NPT Air Inlet & Non-Slip Grip.

XH-SBG
1/4" NPT 5 PCS

2mm, 2.5mm, 3mm & 3.5mm Sizes. Suits Deadman Gun XH-SBG & Compatible Blaster Models.

XH-SBG4PK
--

NO-TRIGGER GUN & TIPS





Aluminium Sandblaster Gun With Ceramic Nozzle, Ergonomic Grip & 1/2" Hose Compatibility

XH-SBGB
1/2"

BENCH TOP SANDBLASTING CABINET



Built From Heavy Duty Steel, This Cabinet Is Made To Handle Tough Jobs Such As Removing Paint, Rust, Corrosion, & General Surface Contamination While Keeping The Blasting Process Enclosed & Controlled. Its Cabinet Design Helps Keep Dust Off The Floor & Out Of The Air, While Also Allowing Abrasive Media To Be Recycled For More Efficient Operation. It Features A Wall Mounted Sandblast Gun Fitted With A 3.5mm Nozzle, An Air Regulator & Pressure Gauge For Control, & An Led Light With An External On/Off Switch For Improved Visibility During Use. Running On 240 Volt Power, It Has A Working Chamber Size Of 80 X 485 X 305mm And A Top Opening Door For Easy Access.

XH-SBC90
90L 240V



4-Pack Ceramic Sandblaster Nozzles, Includes 2 x 6mm & 2 x 7mm Tips, Suits XH-SBGB & Similar Units.

XH-SBGB4N
4 PCS

SANDBLASTING TANKS

The Famous Farmtec 20 Gallon Air Sand Blaster Is A Heavy Duty Unit Built For Removing Paint, Rust & Corrosion. It Features A 20 Gallon (75 Litre) Tank, 62–125 Psi Blasting Pressure & A Maximum Pressure Of 250 Psi. Supplied With Multiple Nozzle Sizes, A Reinforced Hose, Safety Face Mask, Safety Valve & Shut Off Handpiece, It Offers Flexibility To Suit Different Compressor Sizes & Workshop Blasting Tasks.











XH-SB20-1
75L 62-125 PSI

ABRASIVE SANBLASTER GUN



Abrasive Sandblaster Gun With 4 Interchangeable Nozzles (4, 5, 6 & 7mm).

XH-SBGC-1
4mm-7mm 5 PCS

AIR SODA BLASTERS

52L Dual Tank Sand Abrasive & Soda Blaster, 36kg Capacity, Heavy-Duty Ceramic Nozzles, Mixing Valve, Water Trap & 3m Hose.



XHDSB07G
52L 80-115 PSI

40 Lb Soda Blaster With Adjustable 35-90 PSI Output, Water Trap Regulator & Media Regulator. Lightweight Rolled Steel Unit For Safe Baking Soda Blasting, With 26L Tank & 3M Hose.



SBSD40
26L 35-90 PSI

4 PACK CERAMIC NOZZLES

4 Pack Ceramic Sandblaster Nozzles In 2.4, 2.7, 3.2 & 3.6mm Sizes, Designed For 15020G Guns & Compatible With Select Other Sandblasting Setups.



XH-SBN-4PK
2.4, 2.7, 3.2, 3.6mm

SPANNER SETS

JUMBO SPANNER SETS

6 Piece Jumbo Metric Ring/ Open Spanner Set.



34, 38, 41, 46, 48 & 50mm Sizes.

23180-1
34-50mm 6 PCS



22, 23, 24, 27, 30, 32, 35 & 38mm.

23180-3
22-38mm 8 PCS



28, 29, 32, 35, 41, 44, 46 & 50mm

23180-4
28-50mm 8 PCS

10 Piece Metric Ring/ Open Spanner Set.



32, 33, 35, 36, 38, 41, 44, 46, 50 & 55mm

23180-5
32-55mm 10 PCS



6-Piece Ring/Open Spanner Set: 1 3/8", 1 1/2", 1 5/8", 1 3/4", 1 7/8"& 2".

23180-AF1
1-3/8"-2" 6 PCS



Jumbo AF 4-Piece Ring/Open Spanner Set: 2-1/8", 2-1/4", 2-3/8" & 2-1/2".

23180-AF2
2-1/8"-2-1/2" 4 PCS



10-Piece AF Ring/Open Spanner Set: 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16" & 1-7/8", & 2".

23180-AF5
1-5/16"-2" 10 PCS

WORKSHOP EQUIPMENT

GUN SAFES

Electronic Gun Safe With Key Override, Internal Lockable Ammo Box, Hidden Hinges, 5 Bolt Locking, 2mm Body & 3mm Door.



YLGSD8
1450x400x300mm

YLGSD12
1450x520x400mm

Gun Safe Complying With Level 1 & 2 Safety Requirements, Locking Ammo Compartment, 2.5mm Body & Door.



GSKEY8
1450x400x300mm

GSKEY12
1450x520x400mm

FLOOR SAFES

Fireproof Digital Floor Safe, Electronic & Key Entry, EN1047-1 Fire Rated, 8mm Door, 2mm Body, 5-Bolt Locking, Internal Lock Box & Adjustable Shelf.



JSAFF002
600x400x380mm



25L Digital Personal Safe, 43 X 35 X 20cm, 1.2mm Steel Body, Key Override, Wall/Floor Mounting, Indicator Light, 2 Keys, 2 Expansion Bolts, 8.5kg.

SAFE25LT
430x350x200mm

WORKSHOP EQUIPMENT

FOLDING FLOOR CRANES



2 Ton Folding Air-Over-Hydraulic Floor Crane With 8 Ton Ram, Adjustable Boom, Fold-Up Legs, 6 Castors, 0-2300mm Lift, 165 X 60 X 26cm, 1.5m Hose & Nitto Fitting.

11243-1A
0-2300mm 1.5m



3 Ton Extra Heavy-Duty Shop Floor Crane With 0-2800mm Lift, 1200-1830mm Reach, Extendable Rear Legs, 150mm Poly-Coated Alloy Castors With Brakes & 126kg Weight.

YCRAS007
3,000kg 2800mm

TRANSMISSION JACKS

450kg Under-Hoist Transmission Jack With 1200-1940mm Height Range, 4-Finger 250mm Saddle, Spring-Loaded Foot Pump, 4 Swivel Castors With 70mm Wheels & 820mm Leg Span.



11127
450kg 1940mm


500Kg Double-Stage Transmission Jack With Foot Pump, Adjustable Tilt Saddle & Safety Chains; Lifts 855-1770Mm, 1050Mm Leg Width, Steel Caster Wheels For Garage & Workshop Use.



11224
500kg 1770mm

TRUCK RAMP

20 Ton Truck Ramp Set, Sold As Pair, 463mm Wide, Suits 406mm Tread, 235mm High, 1295mm Long, Non Skid Checker Plate, Safety Flange & Retractable T Handles.



11170
20,000kg 463mm

DRILL PRESS



DPRED031
750W 1560mm

DPRED032
550W 980mm

DPRED033
900W 1600mm

DPRED034
1500W 1710mm

FOLDABLE ENGINE STAND



450Kg Steel Engine Stand With Fold-Up Legs For Easy Storage, 830Mm Centre Height, 1100Mm Length, Adjustable 100-350Mm Mounting & 70Mm X 30Mm Castors.

11280
450kg 1100mm

TRANSMISSION ADAPTOR



198Kg Alloy Steel Transmission Adaptor With Safety Chain, Fits Most Trolley Jacks, 380Mm Length, 250Mm Width & 40Mm Shaft For Secure Gearbox Lifting.

11230
380x250x40mm

PIPE STAND



WS1108
V HEAD 300mm

WS1108-A
ROLL HEAD 300mm

WS1107-A
BALL HEAD

VEHICLE DOLLY



450Kg Wheel Dolly Set In Solid Steel With Cradled Plate Design, 90Mm Nylon Swivel Castors & 390Mm Arc For Easy Vehicle Positioning In Tight Spaces On Level Surfaces.

XHVD2
450kg 390mm

UNDER HOIST STAND

750Kg Under Hoist Support Stand With Screw Adjustment, 1370-2065Mm Height, 300Mm Base & Cradle Seat For Engines, Transmissions & Diffs.



11174
750kg 2065mm

WORKSHOP EQUIPMENT

25 TON JACK STANDS

PIN TYPE 20 Tonne Pin -Type Truck Stand In Heavy Welded Steel With 45Mm Locking Pin Adjustment.



7000
415-539mm 20T

7001
680-968mm 20T

SQUAT SCREW TYPE
20 Tonne Low Boy Truck Stand In Heavy Welded Steel, With 200mm Fine Screw Adjustment, 410-600mm Height, Wide Saddle & 330 X 330mm Base For Heavy Machinery.



7002
410-600mm 30T

TALL SCREW TYPE
20 Tonne High Truck Stand In Welded Steel, With 300mm Fine Screw Adjustment, 665-1090mm Height, 460 X 460mm Base & Wide Saddle For Heavy Machinery.



7003
665-1090mm 20T

GAS G CYLINDER TROLLEY

Dual Gas Cylinder Trolley With 460mm Bike Wheels & Ball Bearings, 500mm Wide X 250Mm Deep X 1200Mm High, Plus 500 X 230 X 100mm Handy Tray.



65939
450mm DUAL GAS

RATCHET JACK STANDS

SOLD AS PAIR

12 Tonne Ratchet Jack, Forged Steel With Quick Adjust Sawtooth Bar, 490-750mm Height Range, 322 X 290mm Pyramid Base & Saddle Support.



XSTAJ004
490x750mm 12T

MOBILE GIRDER RAIL

1 Tonne Mobile Gantry Girder Rail With 2500-3600Mm Adjustable Height, 2300Mm Inside Clearance, 76Mm I-Beam & 4 Swivel Braked Castors.



110903
2500-3600mm 1T

CAR ROTISSERIES

1800Kg Car Rotisserie In 3.5Mm Steel With Dual 8 Tonne Hydraulic Rams, Adjustable Length, Width & Height, 1.6-6M Opening & Solid Swivel Castors For Bodywork Access.



18125-1
1800kg 1.6-6m

2040Kg Car Rotisserie In 3.5Mm Steel With Gearbox Turning Wheel, 360° Rotation, Dual 8 Tonne Rams, Adjustable 2.2-6M Opening & Swivel Castors For Bodywork Access.



XROTC005C
2040kg 2.2-6m

ELECTRIC HOIST

240V Electric Hoist, 1350W, Lifts 400kg Single Or 800kg Double To 12M/6M, With Thermal Protection.



24322
1350W 400/800kg

4000Kg 2-Post Vehicle Hoist With 240V Power, 1880Mm Lift Height, 100Mm Minimum Pad Height, 3-Stage Screw-Up Pads, Automatic Lock Release, Parachute Valve, Arm Restraints, Door Protection & Chain Guard Safety.



15004
4000kg 1880mm

GIRDER TROLLEY

1 Tonne Girder Trolley With Sealed Ball-Bearing Wheels, Adjustable 64-132Mm I-Beam Fit & 1M Curve Radius.



24353-T
--

WORKSHOP EQUIPMENT

BENCH VICES

CAST STEEL VICE

100mm Bench Vice, Swivel Base, Anvil, Cast Steel, 3-Bolt Mount.



23531-4
90x90mm 100mm

125mm Bench Vice, Swivel Base, Anvil, Cast Steel, 3-Bolt Mount.




23531-5
82x70mm 125mm

150mm Bench Vice, 130x130mm Anvil, Cast Steel, 2-Bolt Mount.



23532-6
130x130mm 150mm

200mm Bench Vice, Fixed Base, Cast Steel, 150x150mm Anvil.



23532-8
150x150mm 200mm

MULTI PURPOSE VICE

125Mm Fabricated Steel Bench Vice With Anvil & 2 Bolt Mounting.



23540-S5
125mm 2 BOLT

Multi-Purpose Bench Vice, 60° Swivel, 125Mm Jaws, Taper Lock.



23540-5
60% Turn 125mm

OFFSET VICE



Offset Fabricated Steel Bench Vice With 4 Mount Holes

23540-S4
100mm 4 BOLTS

23540-S6
6" 150mm 4 BOLTS

DRILL PRESS VICES

TILTING DRILL PRESS

75mm Tilting Milling Vice With Square-Thread Screw & Smooth Machined Finish For Precise, Stable Clamping.




QKD75
0-90% 75mm

100mm Tilting Milling Vice With Square Thread Screw.


QKD100
185x190mm 190mm

CROSS SLIDE

150mm Cast Iron Cross Slide Vice With 135mm Max Opening, 42mm Jaw Height & 100mm Travel, Ideal For Mill Drill Jobs.




GVISE006
150mm 100mm



100Mm Cast Steel Drill Press Vice With Slot Base, 3-3/4" Jaw Opening & 7/8" Jaw Depth

DVICE4
100mm 3-3/4"



100mm Cast Iron Cross Slide Vice For Mill & Drill Jobs, 100mm X 115mm Travel, Alloy Handles & Base Mount Points.

21283
100x115mm

CHAIN PIPE VICES



Multi-Purpose Bench Vice, 60° Swivel, 125mm Jaws, Taper Lock.

HC402
125mm 60°

10mm-150mm Chain Pipe Vice On Stand, Lightweight & Portable With Built In Chain, Bending Slots & Ceiling Brace Screw.



HC401
10-150mm

PIPE VICE YOKE STYLE

Yoke Pipe Vice With Iron Base & Replaceable Jaws.

WS1101-1
10-60mm 3 Bolt

WS1101-3
15-115mm 3 Bolt

WS1101-5
15-220mm 3 Bolt



MILLING VICE

Flat Mill Drill Vice With 102Mm Opening, 105Mm Jaw Width, Side Slot Mountings & Square-Style Vice Screw.



GD19100
105mm 102mm

WORKSHOP EQUIPMENT

GARAGE CREEPERS



Garage Creeper With Moulded Plastic Body, Padded Head Rest & 6 Castors, 1000Mm Length, Supports Up To 125Kg For Smooth, Comfortable Under-Vehicle Access.

11190
1000mm 125kg

Steel Creeper/Seat Combo With 6 Castors, 150Kg/120Kg Capacity



11191-Z36
150kg/120kg

DRUM LIFTING CHAIN

Grade 80 Steel Drum Sling With One-Touch Grip, Lifts Steel, Plastic & Fiber 205 Litre, 30/55 Gallon Drums With Or Without Lids, 2000Lb Capacity & 690Mm Reach.




24281-1
--

UTE CRANES



12V Fold-Away Ute Crane With 800Kg Double-Line Or 500Kg Single-Line Capacity, 1940Mm Hook Height, 1490Mm Reach, 360° Manual Rotation, Powder Coated Finish & Easy Installation.





11249-1
500/800kg





Heavy-Duty Steel Swivel Ute Crane With 450Kg Capacity, 3 Tonne Hydraulic Jack, Hand Winch, Lockable 360° Swivel & 1.45M Overall Height For Easy Loading & Unloading.

11245-2
450kg 1.45m

BUCKET FORKS

1250mm Clamp-On Bucket Forks, 2-Piece Set With Screw-On Handles & 45° Angle.



FK1000
1000lb / 450kg

FK2000
2000lb / 900kg

FK4000
4000lb / 1800kg

FK3000
3000lb / 1350kg

FK5000
5000lb / 2250kg

FORKLIFT EXTENSIONS



1830Mm Fork Extensions, Sold As A Pair, Fit 1220Mm Minimum

3KR58
127x50mm


7004
152x45mm

FORK ACCESSORIES



Fixed Forklift Jib With 2000Kg W.L.L, Steel Construction, 635Mm Width, 153x60Mm Fork Supports, 465Mm Centres, Swivel Hook, Shackle & Safety Chain, Secured By T-Bar Screw Locks.

FH25
--



Forklift Towing Frame Jib With 2000Kg Lifting Capacity, 50Mm Tow Ball, Chain & Lock Pin Mounting, Plus Lifting Hook For Moving Trailers, Caravans & Equipment.

FTJ2
2000kg 50mm



Telescopic Forklift Jib With 4 Lifting Positions, Extending Boom To 1960Mm, 2500Kg Max SWL, Slimline Construction, Included Hook & Chain Securing, Suits 185x65Mm Fork Pockets.

FMJ2.5
1960mm 2500kg

WORKSHOP EQUIPMENT

PIPE WRENCHES

CHAIN TYPE



CZ06B-6
150mm 1000mm



CZ06B-8
200mm 1200mm

THREAD TYPE



PW-AL14
350mm 1kg



PW-AL18
450mm 1.3kg



PW-AL24
600m 2.1kg



PW-AL36
900mm 2.6kg

FLOOR JACKS

10-Ton Air/Hydraulic Service Floor Jack With Manual Backup, 160-560mm Lift Range, Long Steel Frame, 190mm Saddle, Rear Swivel Casters & 1800mm Air Hose For Workshop Lifting.



11173-A
160-560mm 10T

22 Tonne Air/Hydraulic Under-Axle Jack On Wheels With Screw Top Adjustment, 225-550mm Lift Range, Telescopic Handle & Spring Return For Heavy-Duty Workshop Lifting.



QJACA003
22,000kg 550mm

50 Tonne Air /Hydraulic Under-Axle Jack With 260-420mm Adjustable Height, 125mm Screw Adjustment, 4 Interchangeable Saddles, Rear Wheels & 120-200 PSI Air Requirement.



QJACA004
50,000kg 420mm

BOTTLE JACKS

TALL TYPE AIR HYDRAULIC

35 Tonne, 265-425mm, Air or Hydraulic, Spring Return, 160mm Travel.



QJACB004
35T 265mm

12 Tonne, 260-510mm, Air or Hydraulic, Manual Operation, Spring Return.



QJACB006
12T 260mm

20 Tonne, 265-510mm, Air/Hydraulic, Spring Return, Manual Operation.



QJACB007
20T 265mm

20 Tonne, 250-410mm, 80mm Screw Height, 160mm Lift.



YJACB081
20T 160mm

SQUAT TYPE AIR HYDRAULIC

20 Tonne, 175-325mm, Air/ Hydraulic & Spring Return.



QJACB008
20T 97mm

12 Tonne, 250-405mm, 115mm Ram Travel, 80mm Screw Top.



YJACB079
12T 115mm

20 Tonne, 195-360mm, 60mm Screw Height, 115mm Lift.



YJACB082
20T 195mm

TOW ROPE KITS

38mm X 9m Double-Braided Nylon Tow Rope Kit In Blue, Rated To 29,200kg, With 2 X 6.5 Tonne Shackles

48mm X 9m Double Braided Tow Rope Kit In Yellow, Rated To 50,000kg, With 2 X 12T Shackles.



PROPT01948
45mm x 9m 50T

PROPT01938
38mm x 9m 29T

PALLET LEG PROTECTOR

2-Bolt Pallet Rack Leg Protector In 3mm Steel With Orange Powder Coat Finish, 130x155x 300mm Size.



XBH-20LP
130x155x300mm

CHAINSAW SHARPENER


240V Chainsaw Sharpener With 85W Motor, 4800RPM Speed, Auto Chain Clamping, Adjustable Stops, 7/8" Arbor & 4-1/4" X 1/8" Grinding Wheel.



CSS2002C
240V 4800 RPM

WORKSHOP EQUIPMENT

DRILL SETS



10-Piece MT2 Morse Taper Drill Set In High-Speed Steel, 14.4–23mm Metric Sizes, 118° Point Tips & Full Flute Length, Supplied In A Durable Metal Carry Case.

X031-1
10 PCS 14.4-23mm

8-Piece High Speed Drill Set, 9/16-1", 1/2" Shank, Alloy Case & Foam Insert



X032-1
8 PCS 9/16-1"



170-Piece Titanium-Coated Drill Set, 1-10MM, Assorted Quantities, In Metal Carry Case.

Z002
170 PCS 1-10mm

25-Piece Titanium-Coated Drill Set, 1-13MM, In Sturdy Metal Box For Versatile Workshop & Metalworking Use.



Z061-2
25 PCS 1-13mm

TAP & DIE SETS

110-Piece Metric Tap & Die Set In Alloy Steel, Covering M2–M18 Sizes With Taper & Bottoming Taps, Dies, Wrenches & Steel Case.



PT110-2
10 PCS M2-M18


110-Piece Tap & Die Set With UNC, UNF & Metric Sizes, Adjustable Tap Wrenches, Die Stocks & T-Type Wrench.



PT110-3
110 PCS 1" 1-1/2"

VENTILATION HOSES

200MM X 5M Ventilation Hose, Fits Most Fans With 200mm Diameter Outlets, Suitable For Compatible Ventilation Systems.



300MM X 5M Ventilation Ducting Hose, Strong Lightweight Construction, Suits Most 300MM Portable Blower & Extraction Fans.

HOSE200X5
200mm x 5m

HOSE300X5
300mm x 5m

STEEL CUTTERS

DNHX-20240
24mm x 25mm

DNHX-50160
16mm x 50mm



Titanium Nitride Coated Steel Slugger Cutter With Universal Shank,

DNHX-50180
18mm x 50mm

DNHX-50220
22mm x 50mm

CUTTER SLUGGER SET

6-Piece Slugger Cutter Set, 14-24MM, With 3/4" Weldon Shank, 25MM Cutting Depth, Quick-Coupling Design, Pilot Pin & Steel Carry Case.



DNHX-206
--

VENTILATION FANS

240V 200MM Ventilation Fan, 25M³/Min Airflow, Single-Speed 2800RPM, Hose Not Included.



VENTF-8
200mm 2800RPM

300MM 7-Blade Ventilation Fan, 240V, 520W, 2600RPM, 60M³/Min Air Flow, 13KG, Compatible With Optional 5M & 10M Ducting.



VENTF-12
300mm 2600RPM

WORKSHOP EQUIPMENT

OIL DRAINER

Air-Operated 65L Waste Oil Drain, Adjustable 1020-1650MM Height, 17L Funnel, Rugged Steel Tank, Wheels & Casters, Ideal For Under-Hoist Fluid Draining.



XHODT18II
65L 1020-1650mm

TILE CUTTERS

450W Wet Tile Cutter With 180Mm Diamond Blade, Water Tank & Tilting Table. Cuts With 35Mm Max Depth For Straight, Bevel & Angle Cuts.



TC180S/3
450W 180mm

ELECTRIC SHARPENER

240V Drill Bit & Blade Sharpener For 3-13mm Bits, Scissors, Knives & Axes, With Adjustable Depth Angle Fixation, Dust Collection Drawers & Replaceable Grind Wheels.



XH-JS950M
3-13mm 240V

BURR SET

8-Piece High Speed Steel Burr Set With Double-Cut Heads, 1/4 Shanks & Assorted Ball, Tree, Oval & Cylindrical Shape.



GSB8
8 PCS 1/4 Shanks



250Mm Saw, 2.5Hp Motor, Sliding Tray, Water Pump, Cuts To 610mm L, 88Mm D, 22.5° & 45° Bevels.

TS250E
250mm 2.5HP

PORTABLE COOLANT TANK

9L Portable Cutting Coolant Tank & Pump Kit With Heavy-Duty PE Tank, Adjustable Flow, 1/8Hp Single-Phase Pump, 2.5M Lift, Nozzle, Filter, Hoses & Flex Spout.



UE-9L
9L 1/8HP 2.5m

MOROCYCLE / ATV LIFTS

454Kg Air Hydraulic Motorbike Lift With Foot Pedal, Front Wheel Lock, 660Mm Platform Width & 780Mm Max Height.



XLIFM014
454kg 780mm



454kg Air/ Hydraulic Motorbike & ATV Lift Table With Side Extensions, 2460 X 1220mm Deck, 500 X 1220Mm Ramp, Adjustable Wheel Stop & 190-840mm Lift Range.

11441-3
454kg 840mm

RAM JACKS



8-Ton Single-Pump Long Ram Jack With Flat Base, Removable Swivel Mount & Clevis Base, 495Mm Stroke, 645-1140Mm Range & 17Mm Mounting Holes.

RAM8SF
8T 645-1140mm



12-Ton Long Ram Jack For Shop Cranes & Engine Hoists, With Clevis Base, 495Mm Stroke, 645-1140Mm Range & 17Mm Mounting Holes.

RAM12SF
12T 645-1140mm



8-Ton Air/Manual Long Ram Jack With Double Pump Action, Clevis Base & Removable Swivel Mount, 495Mm Stroke, 645-1140Mm Range & 17Mm Mounting Holes.

RAM8SF-A
8T 645-1140mm

ENGINE SUPPORT STANDS

800Kg Engine Support Stand With 40:1 Gear Head, Adjustable 235-500Mm Mounting Plate, Heavy Steel Frame, Locking Castors & Removable Drip Tray.



11283
800kg 40:1 500mm

300Kg Engine Support Stand With 40:1 Gear Head, Adjustable 200-350Mm Mounting Arms, 360° Rotation, Locking Castors & Drip Tray.




11283-1
300kg 350mm 40:1

WORKSHOP EQUIPMENT

SET OF 4 ANIMAL TRAPS

4-Piece Galvanised Animal Trap Set With Rat, Possum, Fox & Dog Sizes, Foot Plates & Light Trigger Adjustment For Secure Live Capture Across Multiple Animal Sizes.



TRAPSET4
4 PCS S-XL

CEMENT MIXER

2.2Cu Ft Steel Bowl Cement Mixer With 370W 240V Motor, Seam-Welded Bowl, 6 Beaters & 3.50-8 Air-Filled Tyres



AMT-MB22
370W 2.2CU 240V

CANOPY JACK LIFTOFF LEGS

Set Of 4, With 500Kg Capacity, 840-1720Mm Height, 300Mm Lift & 40Mm Square Inserts.



CAN-LIFTKIT
4 PCS 500kg

ANVILS

Cast Steel Anvil With Square & Round Tooling Holes, Smooth Durable Surface & Heavy-Duty Construction.

1191
250x70x85mm

1192
350x90x100mm

1193
460x105x140mm

1194
550x110x160mm



1195
600x120x170mm

1197
640x150x200mm

1199
700x160x220mm

1200
780x175x245mm

12-Ton Air Hydraulic & Manual Pipe Bender With 6 Formers, Bends 15-50Mm Pipe Up To 3Mm Thick To 90°, With Floor Standing Or Lay Flat Operation.



QBENP001
12T 15-50mm

AIR PIPE BENDERS

16-Ton Air/ Hydraulic & Manual Pipe Bender With 8 Formers, Bends 15-80Mm Pipe To 90°, Operates At 80-120Psi, For 1/2-3" Pipe; Foot Pump Not Included.



QBENP002
16T 15-80mm

12-Ton Manual Hydraulic Pipe Bender With 6 Cast Iron Formers, Bends 1/2-2" Pipe To 90°, Operates Horizontally Or Vertically; Not Suited To Thin Wall Exhaust Pipe.



YBENP003
12T 1/2"-2"

MANUAL TUBE BENDER

Manual Round & Square Tube Bender With 8 Formers, Bench Or Vice Mounting, Suits 1.2Mm Mild Steel, Bending Round 3/8-7/8" & Square 3/4-1" Tube.



11342
3/8"-7/8" 1.2mm

ABL IMPORTS

HAND TILT CART

200Kg Hand Tilt Garden Cart With 400L Heavy-Duty Plastic Bed, Soft-Grip Handle, Dumping Lever, 350Mm Pneumatic Wheels & Swivel Castor For Easy Transport Of Dirt, Sand & Clippings.



G-CARTMED
200kg 400L

WORKSHOP EQUIPMENT

SPRING BALANCER

Industrial Spring Tool Balancer, 1.5M Line Drop, Safety Aluminium Casing, Tension & Top/Bottom Hooks For Suspended Tools On 25mm Pipe Mounts.



GBALA001 5-9kg 4.2kg

GBALA002 15-22kg 8.3kg

GBALA003 9-15kg 12kg

GBALA004 22-30kg 9kg

FANS & COOLERS

710mm Wall-Mount Misting Fan With 15L Tank, 650mm Blades, Full Copper 260W Motor & 138M³/Min Airflow For Powerful Industrial Cooling.



DFAWM001 710mm 15L 260W

750Mm Industrial Fan With Dual Floor/Wall Mounting, 285W Copper Motor, 3 Speeds, Fixed & Oscillating Modes & Adjustable Tilt Head.



150-23-52350 750mm 285w

100L Air Water Cooler With 23000M³/H Airflow, 750W Motor, 3 Speeds, LCD Remote Control, Water Inlet, Dust Filter & Locking Wheels For 100M² Cooling.




XK-23SY 100L 750W

120L Air Water Cooler With 9000M³/H Airflow, 380W Motor, 3 Speeds, LCD Remote, Auto Water Inlet, Dust Filter & Locking Wheels For 25-45M² Areas.



XK-90SY 120L 380W

PALLET WRAPS



23Um Clear Pallet Wrap, 500Mm X 450M, With 76Mm Cardboard Core, Stretch Strength, Puncture Resistance, Water Resistance & Barcode Visibility For Secure Stable Loads.

WRAP23UM-CLR CLEAR 23um

WRAP23UM-BLK BLACK 23um

STRAPPING TOOLS

Steel Strapping Ratchet Tensioner For 13-19Mm Steel Straps, Feedwheel Design, Unlimited Take-Up & Cast Iron Handle.



PT810 13-19mm

13Mm Hand Steel Crimper With Replaceable Teeth & 240Mm Curved Handles For Secure Strap Sealing.



PT813-13 13mm 240mm

19Mm Hand Steel Crimper With Replaceable Teeth & 240Mm Curved Handles For Secure Strap Sealing.



PT813-19 19mm 240mm

Manual PP & PET Strapping Tensioner & Sealer Set For 13-19Mm Strap, Suits 0.4-0.9Mm Thickness.



SD330-2 13-19mm

LOADING RAMPS

2.5M Aluminium Truck Ramp Pair With 2800Kg Capacity, Marine-Grade Alloy Construction, 250Mm Inside Track Width & Loading/Locking Plates.



AVS110-W3052.5M 2800kg 2.5m

3.2M Aluminium Truck Ramp Pair With 1820Kg Capacity, Marine-Grade Alloy, 250Mm Inside Track & Loading/Locking Plates.




AVS110-W3053.5M 1820kg 3.2m

3.5M Aluminium Loading Ramp Pair With 3000Kg Capacity, 410Mm Width, 115Mm Depth, 26Kg Each & Safety Chains,



AVS-3.0TMD 3000kg 3.5m

Aluminium Loading Ramp Pair, 6.2 Ton Capacity, 3.5M X 500Mm X 165Mm, 50Kg Each, With Safety Chains & Pins.



AVS-6.2THD 6200kg 3.5m

WORKSHOP EQUIPMENT

PALLET HANDLING GEAR

2500Kg Pallet Jack With 1120Mm Forks, 685Mm Width & 85-200Mm Lift Range, Fingertip Controls, Overload Protection, Entry Rollers & Dual Wheels For Stable Pallet Handling.



PJ2500
2.5T 85-200mm

400kg Manual Fork/Platform Stacker With Removable Platform, Adjustable Forks, Foot Pump Hydraulic Lift, Braked Castors & 75–1500mm Lifting Range.



24387-2
400kg 75-1500mm

1000kg Manual Chain Lift Pallet Stacker With Adjustable Tynes, 75–1600mm Lift Range, 400mm Load Center & 1070mm Tyne Length.



24389-2
1T 75-1600mm

FORKLIFT SAFETY CAGE

250kg Forklift Safety Cage For 2 Persons With Harness Anchor Points, Zinc-Plated Finish, 1220 x 1150 x 1060mm Size & 190 x 75mm Tyne.



PCAGEF003
250kg 190x75mm

WORKBENCHES



300kg Steel Mobile Workbench With Storage Shelf, Pull Handle, 100mm Braked Castors & 1110 x 700 x 930mm Size.

17119-2
1110x700x930mm



500kg Heavy-Duty Steel Workbench With 3 Lockable Drawers, 3mm Rolled Steel Top, Storage Shelf & 2000 x 640 x 865mm Size.

XH-WB3DRAW
500kg 3mm



250kg 10L Removable Oil Trap, Lockable Drawer, Spill Rim, 100mm Castors & 1200 x 800 x 1005mm Size.

XH-TT
250kg 10L

ABL IMPORTS

FLEXIBLE HOSE CLAMP SET



3-Piece Flexible Hose Clamp Set With Locking Slide Ring

CZT2503
3 PCS

MOTORBIKE REAR WHEEL STAND

340kg Capacity, 225–360mm Hub Width, 5 x 50mm Wheels, Swing Arm Holders & 900 x 610mm.



11462-1
340kg 225-360mm


RACKING SHELF

4-Shelf Steel Racking Kit With 600kg Limit Per Shelf & Wire Mesh Shelves.



LT-WR4S
600kg/shelf

COOLANT VACUUM & REFILL PUMP KIT




Coolant Vacuum Purge & Refill Kit With Universal Adapter, 900mm Hoses & Carry Case

CZ9046
--

HAND TOOLS


CLUTCH ALLIGNMENT TOOL



17-Piece Universal Clutch Alignment Tool Kit, 150mm Shaft, 8 Pilot Bearing Adaptors, 8 Clutch Plate Adaptors & Case.

CZ8722
17 PCS 150mm

AIR BAG REMOVAL KIT



1999-On Vehicles With 1/4-Drive 87mm Bit Socket, T25/T30 Torx, T25H/T30H Torx, 5mm Hex & Release Tools.

CZT8601
1/4" T25/T30

PULLEY REMOVE/INSTALL KIT



12-Piece Alternator Puller & Installer Kit.

CZT4041
12 PCS

OIL FILTER REMOVAL KIT



14-Piece 1/2-Drive With 14 Wrenches Covering 18 Sizes, 65-100mm, Plus 1/2 x 3/8 Adaptor In Case.

CZ2100
14 PCS 65-100mm

RETHREADER KIT



43-Piece UNF, UNC & Metric Rethreader Kit With Actual Nut Size Dies, Taps & Thread Files For Cleaning Damaged Threads.

CZT2042
43 PCS

BEARING & SEAL DRIVER



10-Piece Bearing Race & Seal Driver Set In Moulded Case, With Reversible Alloy Discs For Seals, Bearings & Bushes, 44-80mm Adaptors.

TA-55
10 PCS 44-80mm

WINDSCREEN REMOVAL KIT

7-Piece Windscreen Removal Tool Set With Wire Reel, Grip Handles & Feeder.



CZT5423
7 PCS

SENSOR SOCKET SET

10-Piece 1/2 & 3/8-Drive Sensor Socket Set For Lambda Sensors, Bypass Sensors, Diesel Injectors & Oil Pressure Units.



CZ2580
1/2" 3/8" 10 PCS

BUSH BEARING SEAL KIT

51-Piece Steel Bush, Bearing & Seal Driver Set With 18-65mm Plus 74mm Discs, 12mm Shaft, Screw & 180mm Handle For Custom Drivers.



21G25136
51 PCS 18-65mm

BEARING BUSH PRESS & PULL SLEEVE KITS

27-Piece Universal Press & Pull Sleeve & Bush Kit With 44 - 90mm Press Sleeves, 350mm Pulling Spindles & Bearings, Bushes & Seals.



CZT3206
27 PCS 44-90mm

Bearing Bush Press & Pull Sleeve Set With 22 Press-On Sleeves, 5 Pulling Spindles, Step Discs & Case.



CZT7007
29 PCS

O RING KITS

407-Piece Imperial O-Ring Kit With AS568 Sizes From 1/4" To 2-1/4".



24048
407 PCS AS568

419-Piece Metric O-Ring Kit With Sizes From 3mm To 50mm, BG715 Seals

24050
419 PCS BG715

HAND TOOLS

IMPACT SOCKET SETS

8-Piece 3/4-Drive Metric Impact Socket Set With 6-Point Cr-V Moly Steel Sockets, 26-38mm, Standard Length & PVC Carry Case.



ASK-013
8 PCS 26-38mm

13-Piece 1/2-Drive Metric Deep Impact Socket Set With 6-Point Cr-V Moly Steel Sockets, 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27 & 30mm In Metal Case.



ASK-009M
13 PCS 10-30mm

6-Piece 1" Drive Deep Impact Socket Set With 80mm Cr-V Moly Steel Sockets, Sizes 22-41mm, Built For Heavy-Duty Fastening, Workshop, Truck & Machinery Applications.



ASK-003
6 PCS 1" 22-41mm

13-Piece 1/2-Drive AF Deep Impact Socket Set With 6-Point Cr-V Moly Steel Sockets, 7/16" To 1-1/4", In Metal Case.



ASK-009S
13 PCS 1/2"



21-Piece 1" Drive AF Socket Set With 12-Point Sockets, 1-5/8" To 3-1/8", Ratchet, T-Bar, Extensions & Box.

22AF1
21 PCS



27-Piece 3/4-Drive AF/Metric Socket Set With 22-50mm & 7/8"-2" Sockets In Metal Box.

27AF-M34HD
27 PCS 22-50mm

THREAD REPAIR KIT



131-Piece Metric Thread Repair Set For M5-M12 Threads With Drills, Taps, Inserts & Metal Case

CZT131
131 PCS

FLEX EXTENSION BAR KIT

Flexible Extension Bar Set With 1/2, 3/8 & 1/4 Drive Bars, 30% Flexibility & 250mm, 200mm, 150mm Lengths For Improved Access.



23419-S
150/200/250mm

EXHAUST PIPE EXPANDER



3-Piece Set With Small, Medium & Large Expanders Covering 30-87mm, For Tail Pipe Expansion, Supplied In Carry Case.

21390
3 PCS 30-87mm

PULLER BEARING SLIDE

Blind Hole Bearing & Bush Extractor Set With 1.3 kg Slide Hammer, 8-58mm Grip Collets, Puller Arch & M6/M8/M10 Adaptors.



21663
1.3kg 8-58mm

IMPACT ADAPTOR SET



8-Piece Impact Adaptor Set In Sizes 1/4"-1", With PVC Carry Case.

ASK-012
8 PCS 1/4" - 1"

CALLIPER WIND BACK KIT

21-Piece Universal Caliper Wind Back Tool With Left & Right Thrust Bolts, 17 Adaptors & Blow Moulded Case




CZ4021
21 PCS

TRAILER EQUIPMENT

BRAKES

10" Left Brake Backing Plate Assembly With Park Brake, Brake Shoes & Magnet.



331101-L10
10" LHS

10" Right Brake Backing Plate Assembly With Park Brake, Brake Shoes & Magnet



331100-R10
10" RHS

10" Brake Hub / Drum Assembly With 5 x 120.65mm PCD, 7/16" UNF Studs, LM11949 & LM67048 Bearings, Seal Included.



428308-HQ10
10" 7/16"

10" Brake Hub/ Drum Assembly With 5 x 114.3mm PCD, 1/2" UNF Studs, LM12749 & LM68149 Bearings, Seal Included.



428309-F10
10" 1/2"

TRAILER COUPLINGS

50mm Trailer Hitch Coupling, 2 Tonne Rated With 2 & 3 Hole Mounting Options, Galvanised Finish, Lift-Up Handle & 100mm Hole Centres.



1803A23B
2T 50mm

50mm Trailer Hitch Coupling, 3.5 Tonne Rated With 4-Hole Mounting, Manual Handbrake, Galvanised Finish & 154mm x 54mm Bolt Centres



1818A4B
3.5T 50mm

50mm Trailer Hitch Coupling, 2 Tonne Rated With Mechanical Brake Override, 4-Hole Mounting, Padlock, Ball Adjuster & 154mm x 54mm Bolt Centres.



1809A4B
2T 50mm

HANDBRAKE PLATE

Mechanical Override Hand Brake Plate, Galvanised Finish, Suits Standard 4-Hole Couplings With 184mm x 54mm x 13.5mm Base Plate & 154mm x 54mm Bolt Centres



6140534B
184x54x13.5mm

HUB & STUB AXLE ASSEMBLY

Landcruiser 6-Stud 50mm Stub Axle Hub Assembly, 1600kg Capacity.



155026LCP
1600kg 50mm

6-Stud 45mm Stub Axle Hub Assembly, 1400kg Capacity



154527LCF
1400kg 45mm

MOUNTED TOOLBOX

Aluminium A-Frame Trailer Toolbox, 860mm x 460mm x 500mm, With 1.5mm Alloy Construction, Gas Strut Lid & Front Paddle Lock For Secure Storage



23635
860x460x500mm

Phone: 07 3277 6709
Email: sales@ablimports.com
Open MON-FRI 8AM-3PM
www.ablimports.com

ABL IMPORTS Pty Ltd is an Australian owned and operated family company. We aim to provide our customers with quality farm and outdoor power equipment at prices to suit any budget. We back up our products with excellent customer service and personalized attention. Visit our website for a hassle-free transaction. If there is something you are after and you can't find it on our website, then let us know and we'll be happy to see if we can source it!

UNIT 2, 1644 IPSWICH ROAD, ROCKLEA, QLD 4106